Prepared Speaker Cables: Star-Quad Series

The Inside View

Type 4

GO-4 72v DBS

Metal	Solid Long-Grain Copper (LGC)	Solid Perfect-Surface Copper+ (PSC+)
Gauge	15 AWG (1,65mm^2)	
Geometry	Star-Quad	
Dielectric	Foamed-Polyethylene (For All Positive Conductors)	
Noise-Dissipation System	Carbon-Based Noise- and Crosstalk-Dissipation System	
Jacket	Black/Blue Braid or PVC. Please Specify.	Black/Brown Braid or PVC. Please Specify.
Termination Options	Full-Range, Double-BiWire,* and REL	
Standard Plug	Choice of SureGrip 300 Multi-Spade or BFA/Banana (Gold or Silver)	Choice of 500 Series Multi-Spade or Banana (Gold or Silver)

***Upcharge applies. Please see page 14.**

Length	EU Retail	EU Retail
1.0m pair	209.00	489.00
1.5m pair	229.00	544.00
2.0m pair	249.00	599.00
2.5m pair	269.00	654.00
3.0m pair	289.00	709.00
3.5m pair	309.00	764.00
4.0m pair	329.00	819.00
4.5m pair	349.00	874.00
5.0m pair	369.00	929.00
6.0m pair	409.00	1,039.00
7.0m pair	449.00	1,149.00
8.0m pair	489.00	1,259.00
9.0m pair	529.00	1,369.00
10.0m pair	569.00	1,479.00
11.0m pair	609.00	1,589.00
12.0m pair	649.00	1,699.00
13.0m pair	689.00	1,809.00
14.0m pair	729.00	1,919.00
15.0m pair	769.00	2,029.00
16.0m pair	809.00	2,139.00
17.0m pair	849.00	2,249.00
18.0m pair	889.00	2,359.00
19.0m pair	929.00	2,469.00
For Lengths Over 19.0m, Use Formula:	40.00/m + 169.00	110.00/m + 379.00

Prepared Speaker Cables: Rocket Series

The Inside View	Rocket 33	Rocket 44	Rocket 88

Metal	Solid PSC / LGC	Solid PSC+ / PSC	Solid Perfect-Surface Copper+ (PSC+)
Gauge	14 AWG (2,08mm²)	13 AWG (2,63mm²)	
Geometry	Double Star-Quad		
Dielectric	Foamed-Polyethylene (For All Positive Conductors)		
Noise-Dissipation System	Carbon-Based Noise- and Crosstalk-Dissipation System		
Jacket	Black/Red Braid or PVC	Black/Silver Braid or PVC	Black/Green Braid or PVC
Termination Options	Full-Range, Single-BiWire, Double-BiWire,* Single-BiAmp,* REL and Naim Audio		
Standard Plug	Choice of SureGrip 300 Multi-Spade or BFA/Banana (Gold or Silver)	Choice of 500 Series Multi-Spade or Banana (Gold or Silver)	

***Upcharge applies. Please see page 14.**

Length	EU Retail	EU Retail	EU Retail
1.0m pair	259.00	389.00	709.00
1.5m pair	294.00	459.00	814.00
2.0m pair	329.00	529.00	919.00
2.5m pair	364.00	599.00	1,024.00
3.0m pair	399.00	669.00	1,129.00
3.5m pair	434.00	739.00	1,234.00
4.0m pair	469.00	809.00	1,339.00
4.5m pair	504.00	879.00	1,444.00
5.0m pair	539.00	949.00	1,549.00
6.0m pair	609.00	1,089.00	1,759.00
7.0m pair	679.00	1,229.00	1,969.00
8.0m pair	749.00	1,369.00	2,179.00
9.0m pair	819.00	1,509.00	2,389.00
10.0m pair	889.00	1,649.00	2,599.00
11.0m pair	959.00	1,789.00	2,809.00
12.0m pair	1,029.00	1,929.00	3,019.00
13.0m pair	1,099.00	2,069.00	3,229.00
14.0m pair	1,169.00	2,209.00	3,439.00
15.0m pair	1,239.00	2,349.00	3,649.00
16.0m pair	1,309.00	2,489.00	3,859.00
17.0m pair	1,379.00	2,629.00	4,069.00
18.0m pair	1,449.00	2,769.00	4,279.00
19.0m pair	1,519.00	2,909.00	4,489.00
For Lengths Over 19,0m, Use Formula:	70.00/m + 189.00	140.00/m + 249.00	210.00/m + 499.00

Prepared Speaker Cables: Flat Rock Series

The Inside View	Castle Rock 72v DBS	Comet 72v DBS	Meteor 72v DBS	K2 72v DBS

Metal	Solid Perfect-Surface Copper+	Solid 2 x PSS / 6 x PSC+	Solid 4 x PSS / 4 x PSC+	Solid Perfect-Surface Silver
Gauge	12 AWG (3,31mm²)			
Geometry	Double Star-Quad			
Dielectric	Foamed-Polyethylene (For All Positive Conductors)			
Noise-Dissipation System	Multi-Layer Carbon-Based Noise- and Crosstalk-Dissipation System			
Jacket	Black/Brown Braid	Black/Red Braid	Black/Dark Gray Braid	Black/Silver Braid
Termination Options	Full-Range, Single-BiWire, Double-BiWire,* Single-BiAmp,* REL and Naim Audio			
Standard Plug	Choice of 1000 Series Multi-Spade or Banana (Silver Only)			

***Upcharge applies. Please see page 14.**

Length	EU Retail	EU Retail	EU Retail	EU Retail
1.0m pair	1,150.00	2,150.00	3,500.00	8,800.00
1.5m pair	1,325.00	2,825.00	4,850.00	12,800.00
2.0m pair	1,500.00	3,500.00	6,200.00	16,800.00
2.5m pair	1,675.00	4,175.00	7,550.00	20,800.00
3.0m pair	1,850.00	4,850.00	8,900.00	24,800.00
3.5m pair	2,025.00	5,525.00	10,250.00	28,800.00
4.0m pair	2,200.00	6,200.00	11,600.00	32,800.00
4.5m pair	2,375.00	6,875.00	12,950.00	36,800.00
5.0m pair	2,550.00	7,550.00	14,300.00	40,800.00
6.0m pair	2,900.00	8,900.00	17,000.00	48,800.00
7.0m pair	3,250.00	10,250.00	19,700.00	56,800.00
8.0m pair	3,600.00	11,600.00	22,400.00	64,800.00
9.0m pair	3,950.00	12,950.00	25,100.00	72,800.00
10.0m pair	4,300.00	14,300.00	27,800.00	80,800.00
11.0m pair	4,650.00	15,650.00	30,500.00	88,800.00
12.0m pair	5,000.00	17,000.00	33,200.00	96,800.00
13.0m pair	5,350.00	18,350.00	35,900.00	104,800.00
14.0m pair	5,700.00	19,700.00	38,600.00	112,800.00
15.0m pair	6,050.00	21,050.00	41,300.00	120,800.00
16.0m pair	6,400.00	22,400.00	44,000.00	128,800.00
17.0m pair	6,750.00	23,750.00	46,700.00	136,800.00
18.0m pair	7,100.00	25,100.00	49,400.00	144,800.00
19.0m pair	7,450.00	26,450.00	52,100.00	152,800.00
For Lengths Over 19,0m, Use Formula:	350.00/m + 800.00	1,350.00/m + 800.00	2,700.00/m + 800.00	8,000.00/m + 800.00

Prepared Speaker Cables: Tree Series

The Inside View	Aspen 72v DBS	Oak 72v DBS	Redwood 72v DBS
			

Metal	Solid PSC+ / PSC	Solid PSC+	Solid 6 x PSS / 10 x PSC+
Gauge	9 AWG (6,63mm²)		
Geometry	Double Counter-Spiral		
Dielectric	Foamed-Polyethylene (For All Positive Conductors)		
Noise-Dissipation System	Multi-Layer Carbon-Based Noise- and Crosstalk-Dissipation System		
Jacket	Black/Green Braid	Black/Brown Braid	Black/Dark Red Braid
Termination Options	Full-Range, Single-BiWire, Double-BiWire,* Single-BiAmp,* REL and Naim Audio		
Standard Plug	Choice of 1000 Series Multi-Spade or Banana (Silver Only)		

***Upcharge applies. Please see page 14.**

Length	EU Retail	EU Retail	EU Retail
1.0m pair	1,480.00	1,910.00	4,900.00
1.5m pair	1,770.00	2,415.00	6,900.00
2.0m pair	2,060.00	2,920.00	8,900.00
2.5m pair	2,350.00	3,425.00	10,900.00
3.0m pair	2,640.00	3,930.00	12,900.00
3.5m pair	2,930.00	4,435.00	14,900.00
4.0m pair	3,220.00	4,940.00	16,900.00
4.5m pair	3,510.00	5,445.00	18,900.00
5.0m pair	3,800.00	5,950.00	20,900.00
6.0m pair	4,380.00	6,960.00	24,900.00
7.0m pair	4,960.00	7,970.00	28,900.00
8.0m pair	5,540.00	8,980.00	32,900.00
9.0m pair	6,120.00	9,990.00	36,900.00
10.0m pair	6,700.00	11,000.00	40,900.00
11.0m pair	7,280.00	12,010.00	44,900.00
12.0m pair	7,860.00	13,020.00	48,900.00
13.0m pair	8,440.00	14,030.00	52,900.00
14.0m pair	9,020.00	15,040.00	56,900.00
For Lengths Over 14,0m, Use Formula:	580.00/m + 900.00	1,010.00/m + 900.00	4,000.00/m + 900.00

Prepared Speaker Cables: Tree Series + Q2

The Inside View	Wild Wood	WEL Signature	Q2
	72v DBS	72v DBS	

Metal	Solid 12 x PSS / 4 x PSC+	Solid PSS Silver	Solid+ Concentric Long-Grain Copper
Gauge	9 AWG (6,63mm²)		15 AWG (1.65mm²)
Geometry	Double Counter-Spiral		Low-Inductance Twisted-Pair
Dielectric	Foamed-Polyethylene (For All Positive Conductors)		N/A
Noise-Dissipation System	Multi-Layer Carbon-Based Noise- and Crosstalk-Dissipation System		N/A
Jacket	Navy Blue Braid	Black Braid	Black PVC
Termination Options	Full-Range, Single-BiWire, Double-BiWire*, Single-BiAmp*, REL and Naim Audio		N/A
Standard Plug	Choice of 1000 Series Multi-Spade or Banana (Silver Only)		SureGrip 100 BFA/Banana Silver

***Upcharge applies. Please see page 14.**

Length	EU Retail	EU Retail
1.0m pair	8,850.00	14,600.00
1.5m pair	12,825.00	21,450.00
2.0m pair	16,800.00	28,300.00
2.5m pair	20,775.00	35,150.00
3.0m pair	24,750.00	42,000.00
3.5m pair	28,725.00	48,850.00
4.0m pair	32,700.00	55,700.00
4.5m pair	36,675.00	62,550.00
5.0m pair	40,650.00	69,400.00
6.0m pair	48,600.00	83,100.00
7.0m pair	56,550.00	96,800.00
8.0m pair	64,500.00	110,500.00
9.0m pair	72,450.00	124,200.00
10.0m pair	80,400.00	137,900.00
11.0m pair	88,350.00	151,600.00
12.0m pair	96,300.00	165,300.00
13.0m pair	104,250.00	179,000.00
14.0m pair	112,200.00	192,700.00
For Lengths Over 14,0m, Use Formula:	7,950.00/m + 900.00	13,700.00/m + 900.00

Length	EU Retail
3.0m pair	175.00

Unterminated Speaker Cables on Spools

CL3/FT4 Rated & Braided Rocket Series Speaker Cables On Spools

Rocket 11

Rocket 22

Rocket 33

Metal	Semi-Solid True-Concentric LGC	Semi-Solid True-Concentric PSC / LGC	Solid PSC / LGC
Gauge	16 AWG (1,31mm²)		14 AWG (2,08mm²)
Geometry	Double-Spiral		Double Star-Quad
Dielectric	PVC		Foamed-Polyethylene (For All Positive Conductors)
Noise-Dissipation System	No		Carbon-Based Noise- and Crosstalk-Dissipation System
Jacket	CL3 PVC Please Specify: Black or White/Gray Stripes	CL3 PVC Please Specify: Black or White/Blue Stripes	Please Specify – Braid: Black/Red or CL3 PVC: Black/Red Stripes
Single-BiWire Capable	Yes		
Foot Markers	Sequentially Numbered 1-30, 1-164 or 1-328 ft. (Showing How Many Feet Remaining)		

EU Retail	**15.00/m**	**25.00/m**	**35.00/m**
Spool Size	50m or 100m	50m or 100m	50m or 100m

Rocket 44

Rocket 88

72v DBS

Metal	Solid PSC+ / PSC	Solid Perfect-Surface Copper+ (PSC+)
Gauge	13 AWG (2,63mm²)	
Geometry	Double Star-Quad	
Dielectric	Foamed-Polyethylene (For All Positive Conductors)	
Noise-Dissipation System	Carbon-Based Noise- and Crosstalk-Dissipation System	
Jacket	Please Specify – Braid: Black/Silver or CL3 PVC: Matte Black/Shiny Black Stripes	Please Specify – Braid: Black/Green or CL3 PVC: Black/Green Stripes
Single-BiWire Capable	Yes	
Foot Markers	Sequentially Numbered 1-164 or 1-328 ft. (Showing How Many Feet Remaining)	

EU Retail	**70.00/m**	**105.00/m**
Spool Size	50m	50m

Unterminated Speaker Cables on Spools

CL3/FT4 Rated & Braided Speaker Cables On Spools

Type 2	Type 4	GO-4 72v DBS

Metal	Solid Long-Grain Copper (LGC)		Solid PSC+
Gauge	16 AWG (1,31mm²)	15 AWG (1,65mm²)	
Geometry	Star-Quad		
Dielectric	Foamed-Polyethylene (For All Positive Conductors)		
Noise-Dissipation System	No	Carbon-Based Noise- and Crosstalk-Dissipation System	
Jacket	Please Specify – CL3 PVC: Dark Gray or Off-White	Please Specify – Braid: Black/Blue or CL3 PVC: Black/Blue Stripes or Off-White	Please Specify – Braid: Black/Brown CL3 PVC: Black/Brown Stripes
Single-BiWire Capable	No		
Foot Markers	Sequentially Numbered 1-164 or 1-328 ft. (Showing How Many Feet Remaining)		

EU Retail	**12.50/m**	**20.00/m**	**55.00/m**
Spool Size	100m	100m	50m

Unterminated Speaker Cables: Packaged and on Spools

See page 62 for additional spools.

G2	X2	Q2
		

Metal	Semi-Solid Concentric Packed Long-Grain Copper		Solid+ Concentric Long-Grain Copper
Gauge	16 AWG (1,31mm²)	14 AWG (2,08mm²)	15 AWG (1,65mm²)
Jacket	Please Specify – Dark Gray PVC & Off-White PVC		Please Specify – Black PVC or White PVC

	9,0m (30 ft.) Uncut in a Box		
EU Retail	**42.50**	**65.00**	N/A
	15,0m (50 ft.) Uncut in a Box		
EU Retail	**72.50**	**105.00**	N/A
	30,0m (100 ft.) Uncut in a Box		
EU Retail	**137.50**	**205.00**	N/A
	100,0m (328 ft.) Bulk Spools		
EU Retail	**4.00/m**	**6.00/m**	**8.00/m**

Analog-Audio Interconnect Cables

Climbing the Ladder

Climbing the ladder of AudioQuest interconnect cables leads to better and better performance, thanks to less and less interference from the cable. This is made possible by the use of superior materials and the implementation of increasingly more sophisticated construction techniques, such as: the progression from Long-Grain Copper to solid Perfect-Surface Silver, from Foamed-PE insulation to FEP Air-Tubes, from Metal-Layer Noise-Dissipation System to multi-layer Carbon-Based NDS, from low-distortion Gold-Plated terminations to extreme-purity Red Copper plugs with Hanging-Silver plating, and more.

Despite their differences, our Bridges & Falls, Rivers, and Elements audio interconnects are all closely related. Chicago is a bigger, better version of Evergreen, but PSC copper–based Golden Gate is clearly better. Red River is a Triple-Balanced bigger, better version of Golden Gate, but doesn't offer the further advantages of Big Sur—and so it goes, on up to Wind.

The reason for the two sides of the ladder is simple: The Double-Balanced Bridges & Falls cables can be fitted with a choice of RCA plugs, 3,5mm mini-plug, 3.5mm female, or DIN plugs (usually for Naim electronics). The Triple-Balanced (except Chicago) Rivers & Elements cables can be fitted with RCA or balanced XLR plugs.

The Triple-Balanced progression continues upward through top Element Series cable Fire—a remarkable cable fully deserving its nickname "WEL Jr.," as it uses all the same materials and construction techniques as the Wild and WEL models, at a smaller scale.

Start at the bottom, where the AQ value system is already 100% evident, or climb as high as you like. Keep climbing until the incremental cost of the higher model is no longer the least expensive way to make the most improvement—but beware, you might find yourself at the top of the ladder or beyond before reaching that point!

How to Order Analog-Audio Interconnect Cables

When Ordering Any Factory Terminated Interconnect Cable, Please Include These Required Elements:

	Qty.	Pair or Single	Length	Model	Termination: Source End		Termination: Destination End
Example	1	Pair	3.0m	Water	XLR	to	XLR
	1	Single	4.5m	Red River	RCA	to	RCA

When Ordering 3 (or 5 or More) Individual Cables Which Are Usually Sold in Pairs, Please Order:
1 Pair + 1 Single (or 2 Pairs + 1 Single, as Appropriate)

How to Order Analog-Audio Interconnect Cables – Bridges & Falls

When Ordering Any Factory Terminated Interconnect Cable, Please Include These Required Elements:

	Qty.	Pair	Length	Model	Termination: Source End		Termination: Destination End
Example	1	Pair	3.0m	Big Sur	RCA	to	RCA

Choice of Applications:

3,5mm Male Mini ↔ 3,5mm Male Mini	3,5mm Female Mini ↔ 3,5mm Male Mini[1]	3,5mm Male Mini ↔ 2 x RCA	5 Pin DIN ↔ 5 Pin DIN[2]	2 x RCA ↔ 2 x RCA

[1] 3.5mm female only available in certain models and certain lengths, please see the grid, [2] other DIN and Naim Audio configurations available.

Analog-Audio Interconnect Cables – Bridges & Falls



Tower	Evergreen	Golden Gate	Big Sur
			

Metal	Solid Long-Grain Copper (LGC)		Solid Perfect-Surface Copper (PSC)	Solid Perfect-Surface Copper+ (PSC+)
Geometry	Asymmetrical Double-Balanced (Lower Impedance on Ground, Same Quality + & – Conductors)			
Dielectric	Foamed-Polyethylene			
Noise-Dissipation System	Metal-Layer Noise-Dissipation System (NDS)			
Jacket	Black/White Stripe PVC	Black/Green Braid	Black/Red Braid	Black/Brown Braid
Terminations	Cold-Welded, Gold-Plated			Cold-Welded, Gold-Plated Pure Purple Copper
Custom Leg-Length Option	No			

3,5mm Mini M* ↔ 3,5mm Mini M*	Yes			
3,5mm Mini M* ↔ 3,5mm Mini F*	Yes, 3m & 5m Only	No	Yes, 2m & 5m Only	No
3,5mm Mini M* ↔ RCAs	Yes			
DIN ↔ DIN[2]	No			Yes
RCAs ↔ RCAs	Yes			

Length	EU Retail	EU Retail	EU Retail	EU Retail
0.6m	25.00	35.00	69.00	109.00
1.0m	27.50	39.00	75.00	119.00
1.5m	30.00	43.00	79.00	139.00
2.0m	32.50	46.00	89.00	149.00
3.0m	39.00	54.00	99.00	189.00
5.0m	49.00	69.00	119.00	249.00
8.0m	69.00	89.00	149.00	349.00
12.0m	89.00	125.00	199.00	479.00
16.0m	109.00	155.00	239.00	619.00
20.0m	129.00	185.00	279.00	749.00

*** M = Male; F = Female**

Choice of Applications:

3,5mm Male Mini ↔ 3,5mm Male Mini	3,5mm Female Mini ↔ 3,5mm Male Mini[1]	3,5mm Male Mini ↔ 2 x RCA	5 Pin DIN ↔ 5 Pin DIN[2]	2 x RCA ↔ 2 x RCA

[1] 3.5mm female only available in certain models and certain lengths, please see the grid, [2] other DIN and Naim Audio configurations available.

Analog-Audio Interconnect Cables – Bridges & Falls

Sydney

Victoria 72v DBS

Yosemite 72v DBS

Angel 72v DBS

Metal	Solid Perfect-Surface Copper+ (PSC+)			Solid Perfect-Surface Silver (PSS)
Geometry	Asymmetrical Double-Balanced (Lower Impedance on Ground, Same Quality + & – Conductors)			
Dielectric	Polyethylene Air-Tubes		FEP Air-Tubes (FEP is a Fluoro-Polymer)	
Noise-Dissipation System	Carbon-Based 3-Layer Noise-Dissipation System (NDS)			
Jacket	Black/Dark Gray Braid	Black/Blue Braid	Black/Green Braid	Black/Silver Braid
Terminations	Cold-Welded, Direct-Silver Plated Pure Purple Copper	Cold-Welded, Direct-Silver Plated Pure Red Copper		
Custom Leg-Length Option	No	Yes. If needed, specify leg-length with order (as measured from the breakout to the back of the RCA)		

3,5mm Mini M* ↔ 3,5mm Mini M*	Yes		
3,5mm Mini M* ↔ 3,5mm Mini F*	No	Yes, 2m & 5m Only	Yes
3,5mm Mini M* ↔ RCAs	Yes		
DIN ↔ DIN[2]	Yes		
RCAs ↔ RCAs	Yes		

Length	EU Retail	EU Retail	EU Retail	EU Retail
0.6m	**169.00**	**279.00**	**569.00**	**899.00**
1.0m	**199.00**	**325.00**	**649.00**	**1,079.00**
1.5m	**229.00**	**379.00**	**765.00**	**1,299.00**
2.0m	**259.00**	**435.00**	**875.00**	**1,519.00**
3.0m	**329.00**	**545.00**	**1,095.00**	**1,959.00**
5.0m	**459.00**	**765.00**	**1,535.00**	**2,839.00**
8.0m	**659.00**	**1,095.00**	**2,195.00**	**4,159.00**
12.0m	**899.00**	**1,535.00**	**3,075.00**	**5,919.00**
16.0m	**1,199.00**	**1,975.00**	**3,955.00**	**7,679.00**
20.0m	**1,449.00**	**2,415.00**	**4,835.00**	**9,439.00**
For Other Lengths, Use Formula:	N/A	**110.00/m + 215.00**	**220.00/m + 435.00**	**440.00/m + 639.00**

*** M = Male; F = Female**

Choice of Applications:

3,5mm Male Mini ↔ 3,5mm Male Mini	3,5mm Female Mini ↔ 3,5mm Male Mini[1]	3,5mm Male Mini ↔ 2 x RCA	5 Pin DIN ↔ 5 Pin DIN[2]	2 x RCA ↔ 2 x RCA

[1] 3.5mm female only available in certain models and certain lengths, please see the grid, [2] other DIN and Naim Audio configurations available.

How to Order Analog-Audio Interconnect Cables

When Ordering Any Factory Terminated Interconnect Cable, Please Include These Required Elements:

	Qty.	Pair or Single	Length	Model	Termination: Source End		Termination: Destination End
Example	1	Pair	3.0m	Water	XLR	to	XLR
	1	Single	4.5m	Red River	RCA	to	RCA

When Ordering 3 (or 5 or More) Individual Cables Which Are Usually Sold In Pairs, Please Order:
1 Pair + 1 Single (or 2 Pairs + 1 Single, as Appropriate)

Analog-Audio Interconnect Cables

Pair Prices Shown. Also Available as Singles (Such as for Center Channel or Subwoofer) at 50% of Pair Price.

Chicago



Red River

Mackenzie



Yukon

Metal	Solid Long-Grain Copper	Solid Perfect-Surface Copper (PSC)	Solid Perfect-Surface Copper+ (PSC+)	
Geometry	Double-Balanced	Triple-Balanced (Separate Ground-Reference Conductor)		
Dielectric	Hard-Cell Foam			Polyethylene Air-Tubes
Noise-Dissipation System	Metal-Layer Noise-Dissipation System (NDS)		Carbon-Based 3-Layer Noise-Dissipation System	
Jacket	Black/Green Braid or CL3/FT4 PVC Bulk Cable and Plugs Also Available, See page 61.	Black/Red Braid or CL3/FT4 PVC Bulk Cable and Plugs Also Available, See page 61.	Black/Brown Braid or CL3/FT4 PVC Bulk Cable and Plugs Also Available, See page 61.	Black/Dark Gray Braid
Terminations	Cold-Welded, Gold-Plated		Cold-Welded, Hanging-Silver directly over pure Purple Copper	

	RCA	RCA or XLR	RCA or XLR	RCA or XLR
Length	**EU Retail**	**EU Retail**	**EU Retail**	**EU Retail**
0.5m pair	**80.00**	**129.00**	**189.00**	**319.00**
0.75m pair	**82.50**	**134.00**	**199.00**	**339.00**
1.0m pair	**85.00**	**139.00**	**209.00**	**369.00**
1.5m pair	**90.00**	**149.00**	**229.00**	**429.00**
2.0m pair	**95.00**	**159.00**	**249.00**	**479.00**
3.0m pair	**105.00**	**179.00**	**289.00**	**589.00**
4.0m pair	**115.00**	**199.00**	**329.00**	**699.00**
4.5m pair	**120.00**	**209.00**	**349.00**	**754.00**
5.0m pair	**125.00**	**219.00**	**369.00**	**809.00**
6.0m pair	**135.00**	**239.00**	**409.00**	**919.00**
7.0m pair	**145.00**	**259.00**	**449.00**	**1,029.00**
7.5m pair	**150.00**	**269.00**	**469.00**	**1,084.00**
8.0m pair	**155.00**	**279.00**	**489.00**	**1,139.00**
9.0m pair	**165.00**	**299.00**	**529.00**	**1,249.00**
10.0m pair	**175.00**	**319.00**	**569.00**	**1,359.00**
For Other Lengths, Use Formula:	**10.00/m + 75.00**	**20.00/m + 119.00**	**40.00/m + 169.00**	**110.00/m + 259.00**

Analog-Audio Interconnect Cables

Pair Prices Shown. Also Available as Singles (Such as for Center Channel or Subwoofer) at 50% of Pair Price.

Water

72v DBS

Also Available: RCA to XLR and XLR to RCA. Please Specify.

Earth

72v DBS

Also Available: RCA to XLR and XLR to RCA. Please Specify.

Wind

72v DBS



Also Available: RCA to XLR and XLR to RCA. Please Specify.

Metal	Solid Perfect-Surface Copper+ (PSC+)		Solid Perfect-Surface Silver (PSS)
Geometry	Triple-Balanced (Separate Ground-Reference Conductor)		
Dielectric	Polyethylene Air-Tubes	FEP Air-Tubes (FEP is a Fluoro-Polymer)	
Noise-Dissipation System	Carbon-Based 6-Layer Noise-Dissipation System (NDS)		
Jacket	Black/Blue Braid	Black/Green Braid	Black/Silver Braid
Terminations	Cold-Welded, Hanging-Silver Plating directly over High-Purity Red Copper Plugs		

Length	EU Retail	EU Retail	EU Retail
0.5m pair	499.00	859.00	1,650.00
0.75m pair	539.00	954.00	1,925.00
1.0m pair	579.00	1,049.00	2,200.00
1.5m pair	659.00	1,239.00	2,750.00
2.0m pair	739.00	1,429.00	3,300.00
3.0m pair	899.00	1,809.00	4,400.00
5.0m pair	1,219.00	2,569.00	6,600.00
For Other Lengths, Use Formula:	160.00/m + 419.00	380.00/m + 669.00	1,100.00/m + 1,100.00

Fire

72v DBS



Also Available: RCA to XLR and XLR to RCA. Please Specify.

Wild Blue Yonder

72v DBS

Also Available: RCA to XLR and XLR to RCA. Please Specify.

WEL Signature

72v DBS

Also available: RCA to XLR and XLR to RCA. Please specify.

Metal	Solid Perfect-Surface Silver (PSS)		
Geometry	Triple-Balanced (Separate Ground-Reference Conductor)		
Dielectric	FEP Air-Tubes (FEP is a Fluoro-Polymer) 23% more air than Wind	FEP Air-Tubes (FEP is a Fluoro-Polymer) 71% more air than Wind	FEP Air-Tubes (FEP is a Fluoro-Polymer) 117% more air than Wind
Noise-Dissipation System	Carbon-Based 8-Layer Noise-Dissipation System (NDS)		
Jacket	Black/Red Braid	Navy Blue Braid	Black Braid
Terminations	WEL-Type Double-Contact Cold-Welded reusable plugs, Hanging-Silver Plating directly over Machined Solid Extreme-Purity Red Copper		

Length	EU Retail	EU Retail	EU Retail
0.5m pair	2,350.00	3,700.00	6,600.00
0.75m pair	2,825.00	4,300.00	7,400.00
1.0m pair	3,300.00	4,900.00	8,200.00
1.5m pair	4,250.00	6,100.00	9,800.00
2.0m pair	5,200.00	7,300.00	11,400.00
3.0m pair	7,100.00	9,700.00	14,600.00
5.0m pair	10,900.00	14,500.00	21,000.00
For Lengths Over 10,0m, Use Formula:	1,900.00/m + 1,400.00	2,400.00/m + 2,500.00	3,200.00/m + 5,000.00

Subwoofer Cables

Subwoofer Cables are Single Cables with a Separate Chassis-Ground Connector*

Black Lab

Greyhound

Irish Red

Boxer



Metal	Solid Long-Grain Copper (LGC)	Solid 0,5% Silver		Solid 1,25% Silver
Geometry	Symmetrical Coax	HyperLitz Coax	Symmetrical Coax	Double-Balanced
Dielectric	Foamed-Polyethylene			Polyethylene Air-Tubes
Noise-Dissipation System	Metal-Layer Noise-Dissipation System			Carbon-Based 3-Layer NDS
Jacket	Black/White Stripes CL3/FT4 Rated PVC	• Thin, Fast, and Flexible • White/Light Gray Stripes CL3/FT4 Rated PVC	• Up to 5m - Black/Red Braid • 8m and Longer - CL3/FT4 Rated Black/Red Stripes PVC	• Up to 5m - Black/Brown Braid • 8m and Longer - CL3/FT4 Rated Black/Brown Stripes PVC
Terminations	Cold-Welded, Gold-Plated			Cold-Welded, Hanging-Silver directly over pure Red Copper

Length	EU Retail	EU Retail	EU Retail	EU Retail
2.0m	37.50	59.00	89.00	175.00
3.0m	42.50	65.00	99.00	199.00
5.0m	55.00	79.00	119.00	239.00
8.0m	69.00	99.00	149.00	299.00
12.0m	89.00	125.00	199.00	399.00
16.0m	119.00	149.00	239.00	479.00
20.0m	139.00	179.00	289.00	569.00

Husky

72v DBS

RCA or XLR

Wolf

72v DBS

RCA or XLR

Wild Dog

72v DBS

RCA or XLR

Metal	Solid 5% Silver	Solid 10% Silver	Solid 100% Perfect-Surface Silver (PSS)
Geometry	Triple-Balanced		
Dielectric	Polyethylene Air-Tubes	FEP Air-Tubes (FEP is a Fluoro-Polymer)	
Noise-Dissipation System	Carbon-Based 4-Layer Noise-Dissipation System		
Jacket	Black/Blue Braid or CL3/FT4 Rated Black/Blue Stripes PVC, Any Length	Black/Silver Braid or CL3/FT4 Rated Black/Dark Gray Stripes PVC, Any Length	Navy Blue Braid, Any Length
Terminations	Cold-Welded, Hanging-Silver directly over pure Red Copper		

Length	EU Retail	EU Retail	EU Retail
2.0m	339.00	769.00	1,649.00
3.0m	399.00	879.00	2,199.00
5.0m	499.00	1,099.00	3,299.00
8.0m	669.00	1,429.00	4,949.00
12.0m	889.00	1,869.00	7,149.00
16.0m	1,109.00	2,299.00	9,349.00
20.0m	1,329.00	2,749.00	11,549.00
For Other Lengths, Use Formula:	55.0/m + 229.00	110.00/m + 549.00	550.00/m + 549.00

For REL subwoofer cables, see page 14. For FLX-Mini and FLX-X splitters, see page 54. *Greyhound does not include a chassis-ground connector.

Tonearm Cables

Wildcat Tonearm



Wildcat Tonearm



Cougar Tonearm

72v DBS

Cougar Tonearm

72v DBS

Metal	Solid PSC		Solid PSC+	
Dielectric	Foamed-Polyethylene			
Noise-Dissipation System	No		Carbon-Based 3-Layer NDS	
Capacitance	Less than 65pF/1,5m			
Jacket	White/Gray Braid		Black Braid	
Termination	Gold-Plated Straight 5-pin JIS plug to Gold-Plated RCA (x2) + Ground.	Gold-Plated RCA (x2) ↔ RCA (x2) + Ground.	Cold-Welded, Direct-Silver Plated Straight 5-pin JIS plug to Cold-Welded, Direct-Silver Plated RCA (x2) + Ground.	Cold-Welded, Direct-Silver Plated RCA (x2) ↔ RCA (x2) + Ground.

Length	EU Retail	EU Retail	EU Retail	EU Retail
1.2m	N/A	N/A	N/A	N/A
1.5m	**99.00**	**99.00**	**399.00**	**399.00**
2.0m	N/A	N/A	N/A	N/A



LeoPard Tonearm

72v DBS

Wild LP Tonearm

72v DBS

WEL Signature Tonearm

72v DBS

Metal	Solid Perfect-Surface Silver (PSS)		
Dielectric	FEP Air-Tubes (FEP is a Fluoro-Polymer)		
Noise-Dissipation System	Carbon-Based 4-Layer Noise-Dissipation System		
Capacitance	Less than 56pF/1,2m		
Jacket	Gray PVC	Black/Blue Stripes PVC	Black/Gray Stripes PVC
Termination	Right-Angled or Straight Machined-Barrel 5-Pin JIS Plug to RCA (x2) Plugs + Ground. RCA or XLR or RCA ↔ RCA	Right-Angled or Straight Machined-Barrel 5-Pin JIS Plug to Wild RCA (x2) Plugs + Ground. RCA or XLR	Right-Angled or Straight Machined-Barrel 5-Pin JIS Plug to WEL Signature Series RCA (x2) Plugs + Ground. RCA or XLR

Length	EU Retail	EU Retail	EU Retail
1.2m	**849.00**	**2,899.00**	**3,999.00**
1.5m	N/A	N/A	N/A
2.0m	**1,099.00**	**4,899.00**	**4,899.00**

Record Brushes & Ground Cables

Saturn GroundGoody - PSC+

Ground cable that partners with any AudioQuest RCA cable to create a low-distortion tonearm cable. Minimizes Distortion, Protects Against RFI.

- PSC+ Conductors
- Direct-Silver Plated #10 Stud CU Spades
- Controlled for Correct Directionality

Length	EU Retail
0.6m	30.00
1.0m	32.50
1.5m	35.00
2.0m	37.50
3.0m	40.00

Jupiter GroundGoody - PSS

Ground cable that partners with any AudioQuest RCA cable to create a low-distortion tonearm cable. Minimizes Distortion, Protects Against RFI.

- PSS Conductors
- Direct-Silver Plated #10 Stud CU Spades
- Controlled for Correct Directionality

Length	EU Retail
0.6m	139.00
1.0m	219.00
1.5m	299.00
2.0m	399.00
3.0m	569.00

HL-5 Headshell Leads

Silk-wrapped Linear-Crystal Copper Litz Conductors



EU Retail
49.00/Set of 4

Anti-Static Record Brush

624,000 Highly Conductive Carbon Fibers in Two Rows

EU Retail
19.95

Digital-Audio Interconnect Cables

Really... Just Ones and Zeros?

Ever since the first CD players in 1983, the credibility debate in audio has been over whether "bits are bits," and there's no more to it. Ever since 1983, differences in digital audio performance have been clear to all who would listen, and differences between digital cables have ranged from minor to jaw-dropping amazing.

The audio world has been going through an evolution maybe even more profound than the transition to CDs: digital audio files, whether on a spinning disc, streaming from the internet, or resident on a hard drive, are offering wonderful new opportunities for convenience ... and for fantastic performance.

AudioQuest brings the same sensitivity, insight, and technology to today's digital transfer modes as we've brought to Digital Coax, AES/EBU balanced digital and Toslink fiber optic cables for the last 28 years.

There are particulars to each digital format, however "jitter," time-based shifting and smearing of data, is the same enemy it has always been ... AudioQuest employs all its proven techniques for minimizing this data damage: better metals, better geometry, better dielectric, DBS (Dielectric-Bias System), NDS (Noise-Dissipation System), and other ingredients required to finesse each specific application.

Whether you use buds with a 3,5mm-plug analog cable from a computer, smart phone or a portable DAC (like our Dragon-Fly Black or Red), a USB cable into a DAC, or whether using Ethernet cable for wiring your home network system, it's a bright and wonderful day in audio!

Digital Coax Cables

Digital Coax Forest

Digital Coax Cinnamon

Digital Coax Carbon

Metal	Solid 0,5% Silver	Solid 1,25% Silver	Solid 5% Silver
Gauge	24 AWG		21 AWG
Dielectric	Hard-Cell Foam		
Noise-Dissipation System	Metal-Layer Noise-Dissipation System		Carbon-Based 5-Layer NDS
Jacket	Black/Green Stripes PVC	Black/Red Braid	Black/Dark Gray Braid
Terminations	Cold-Welded, Gold-Plated		Cold-Welded, Hanging-Silver Directly Over Pure Purple Copper
Shield	Foil + Tinned Braid	Foil + Silver-Plated Braid	

Length	EU Retail	EU Retail	EU Retail
0.75m	**27.50**	**65.00**	**175.00**
1.0m	N/A	N/A	**185.00**
1.5m	**32.50**	**85.00**	**209.00**
2.0m	N/A	N/A	**229.00**
3.0m	**42.50**	**129.00**	**269.00**
5.0m	**65.00**	**185.00**	**359.00**
For Lengths Over 5,0m, Use Formula:	N/A	N/A	**45.00/m + 140.00**

Digital Coax Coffee

72v DBS



Digital Coax Diamond

72v DBS



Digital Coax Wild

72v DBS

Digital Coax WEL Signature

72v DBS

Metal	Solid 10% Silver	Solid 100% Perfect-Surface Silver (PSS)		
Gauge	21 AWG			
Dielectric	Hard-Cell Foam			
Noise-Dissipation System	Carbon-Based 6-Layer Noise-Dissipation System		Carbon-Based 7-Layer NDS, 2 x EMI Absorption	Carbon-Based 7-Layer NDS, 3 x EMI Absorption
Jacket	Black/Brown Braid	Black/Silver Braid	Navy Blue Braid	Black Braid
Terminations	Cold-Welded, Hanging-Silver Directly Over Pure Red Copper		Cold-Welded, Hanging-Silver Directly Over Machined Pure Red Copper	
Shield	Silver-Plated Braid		Copper Foil + 100% PSS-Silver Spiral	

Length	EU Retail	EU Retail	EU Retail	EU Retail
0.75m	**439.00**	**949.00**	**2,249.00**	**3,699.00**
1.0m	**479.00**	**1,049.00**	**2,469.00**	**4,119.00**
1.5m	**549.00**	**1,249.00**	**2,899.00**	**4,889.00**
2.0m	**619.00**	**1,449.00**	**3,349.00**	**5,659.00**
3.0m	**759.00**	**1,849.00**	**4,229.00**	**7,199.00**
5.0m	**1,049.00**	**2,649.00**	**5,989.00**	**10,279.00**
For Other Lengths, Use Formula:	**140.00/m + 339.00**	**400.00/m + 649.00**	**880.00/m + 1,589.00**	**1,540.00/m + 2,579.00**

AES/EBU Cables

AES/EBU Cinnamon



AES/EBU Carbon

AES/EBU Coffee

72v DBS

Metal	Solid 1.25% Silver	Solid 5% Silver	Solid 10% Silver
Gauge	24 AWG		21 AWG
Dielectric	Hard-Cell Foam		
Noise-Dissipation System	Carbon-Based 3-Layer NDS	Carbon-Based 5-Layer NDS	Carbon-Based 7-Layer NDS
Jacket	Black/Red Braid	Black/Dark Gray Braid	Black/Brown Braid
Terminations	Cold-Welded, Gold-Plated	Cold-Welded, Hanging-Silver Directly Over Pure Purple Copper	Cold-Welded, Hanging-Silver Directly Over Pure Red Copper
Shield	Foil + Tinned Braid		

Length	EU Retail	EU Retail	EU Retail
0.75m	**69.00**	**175.00**	**439.00**
1.0m	N/A	**185.00**	**479.00**
1.5m	**89.00**	**209.00**	**549.00**
2.0m	N/A	**229.00**	**619.00**
3.0m	**129.00**	**269.00**	**759.00**
5.0m	**189.00**	**359.00**	**1,049.00**
For Other Lengths, Use Formula:	N/A	**45.00/m + 140.00**	**140.00/m + 339.00**

AES/EBU Diamond

72v DBS

AES/EBU Wild

72v DBS

AES/EBU WEL Signature

72v DBS

Metal	Solid 100% Perfect-Surface Silver (PSS)		
Gauge	21 AWG		
Dielectric	Hard-Cell Foam		
Noise-Dissipation System	Carbon-Based 7-Layer NDS	Carbon-Based 7-Layer NDS, 2 x EMI Absorption	Carbon-Based 7-Layer NDS, 3 x EMI Absorption
Jacket	Black/Silver Braid	Navy Blue Braid	Black Braid
Terminations	Cold-Welded, Hanging-Silver Directly Over Pure Red Copper	Cold-Welded, Hanging-Silver Directly Over Machined Pure Red Copper	
Shield	Foil + Tinned Braid	Foil + Silver-Plated Spiral	

Length	EU Retail	EU Retail	EU Retail
0.75m	**949.00**	**2,249.00**	**3,699.00**
1.0m	**1,049.00**	**2,469.00**	**4,119.00**
1.5m	**1,249.00**	**2,899.00**	**4,889.00**
2.0m	**1,449.00**	**3,349.00**	**5,659.00**
3.0m	**1,849.00**	**4,229.00**	**7,199.00**
5.0m	**2,649.00**	**5,989.00**	**10,279.00**
For Other Lengths, Use Formula:	**400.00/m + 649.00**	**880.00/m + 1,589.00**	**1,540.00/m + 2,579.00**

Optical Digital-Audio Cables

Optical Pearl



Optical Forest



Optical Cinnamon



Type	Optical		
Conductors	Low-Dispersion Fiber	Low-Dispersion Fiber	Lower-Dispersion Higher-Purity Fiber
Jacket	Black/Gray Stripe In-Wall Rated PVC	0,75m & 1,5m – Black/Green Braid; 3,0m & Longer – In-Wall Rated PVC	0,75m & 1,5m – Black/Red Braid; 3,0m & Longer – In-Wall Rated PVC

Length	EU Retail	EU Retail	EU Retail
0.75m	25.00	39.00	69.00
1.5m	30.00	49.00	85.00
3.0m	45.00	75.00	119.00
5.0m	60.00	109.00	175.00
8.0m	85.00	149.00	259.00
12.0m	119.00	209.00	379.00
16.0m	159.00	259.00	499.00

Optical Carbon



Optical Vodka



Optical Diamond



Type	Optical		
Conductors	19 Narrow-Aperture Synthetic Fibers	217 Narrow-Aperture Synthetic Fibers	300 Narrow-Aperture Quartz (Fused-Silica) Fibers
Jacket	Black/Gray Braid	Black/Blue Braid	Black/Silver Braid

Length	EU Retail	EU Retail	EU Retail
0.75m	109.00	199.00	549.00
1.5m	139.00	275.00	599.00
3.0m	199.00	399.00	879.00
5.0m	299.00	599.00	1,199.00

USB Cables

USB Pearl

A ↔ B plug

A ↔ Micro

USB Forest

A ↔ B plug

A ↔ Micro

A ↔ Type C

USB 3,0 A ↔ USB 3,0 Micro

USB Cinnamon

A ↔ B plug

A ↔ Micro

A ↔ Type C

USB 3,0 A ↔ USB 3,0 Micro

USB Carbon

A ↔ B plug

A ↔ Type C

USB 3,0 A ↔ USB 3,0 Micro

USB Coffee

72v DBS

A ↔ B plug

USB Diamond

72v DBS

A ↔ B plug

A ↔ Type C

USB 3,0 A ↔ USB 3,0 Micro

Metal	Solid LGC	Solid 0,5% Silver	Solid 1,25% Silver	Solid 5% Silver	Solid 10% Silver	Solid 100% PSS Silver
Dielectric	Hard-Cell Foam					
Noise-Dissipation System	No			Carbon-Based 3-Layer Noise-Dissipation System		
Jacket*	Black/White Stripe PVC	Black/Green Stripe PVC	Black/Red Braid	Black/Gray Braid	Black/Brown Braid	Black/Silver Braid
USB 2,0 Lengths	Up to 5,0m					
USB 3,0 Lengths	N/A	Up to 3,0m	Up to 3,0m	Up to 3,0m	N/A	Up to 3,0m

Length	EU Retail	EU Retail	EU Retail	EU Retail	EU Retail	EU Retail
0.75m	27.50	39.00	69.00	139.00	299.00	599.00
1.5m	31.50	42.50	85.00	185.00	379.00	769.00
3.0m	49.00	65.00	119.00	269.00	549.00	1,099.00
5.0m	75.00	99.00	175.00	389.00	769.00	1,599.00

***USB 3,0 cables are PVC.**

Lightning & Thunderbolt Cables

USB Forest Lightning

Lightning ↔ A

USB Cinnamon Lightning

Lightning ↔ A

USB Carbon Lightning

Lightning ↔ A

USB Diamond Lightning

72v DBS

Lightning ↔ A

Thunderbolt Coffee

Metal	Solid 0,5% Silver	Solid 1,25% Silver	Solid 5% Silver	Solid 100% PSS Silver	Solid 10% Silver
Dielectric	Hard-Cell Foam				Solid FEP Insulation
Noise-Dissipation System	No	Metal-Layer NDS	Carbon-Based 3-Layer NDS		No
Jacket	Black/Green PVC	Black/Red PVC	Black/Gray PVC	Black/Silver PVC	Black/Brown PVC
Lengths	Up to 1,5m	Up to 3,0m			Up to 3,0m

Length	EU Retail	EU Retail	EU Retail	EU Retail	EU Retail
0.15m	N/A	**59.00**	N/A	N/A	N/A
0.3m	N/A	**65.00**	N/A	N/A	N/A
0.75m	**39.00**	**75.00**	**149.00**	**599.00**	N/A
1.0m	N/A	N/A	N/A	N/A	**299.00**
1.5m	**49.00**	**95.00**	**199.00**	**769.00**	N/A
2.0m	N/A	N/A	N/A	N/A	**349.00**
3.0m	N/A	**129.00**	**279.00**	**1,099.00**	**399.00**

USB & Optical Adaptors

Micro USB-to-Lightning Adaptor

Part Number: LTNMUSBAD

EU Retail 21.95

USB Type C Adaptor

Part Number: TYPECUSBAD

EU Retail 14.95

USB B-to-Micro 2,0 Adaptor

Part Number: USBMICROAD

EU Retail 10.95

USB Mini-to-Micro 2,0 Adaptor

Part Number: USBMMICROAD

EU Retail 10.95

Optical Mini Adaptor



For use with computers and portable devices

Part Number: OPLNKMINIADAPT

EU Retail 7.95

USB Data & Power Noise Filter

JitterBug

Individual	
EU Retail	49.00

JitterBug™

USB Data & Power Noise Filter

Dual Discrete Noise-Dissipation Circuits

- Reduces the noise and ringing that plague both the data and power lines of USB ports
- Measurably reduces jitter and packet errors
- Improves dynamic contrast, warmth, and resolution



Use one JitterBug in series with any adaptive or asynchronous USB DAC and USB cable.



Use an additional JitterBug in parallel for improved playback performance.



Use JitterBug with other locally connected USB devices, such as hard drives, printers, and cameras, to effectively reduce audio interference.



Use JitterBug with USB-enabled network devices, such as routers, NAS devices, and streamers.



Use JitterBug with mobile devices.

USB Cable Accessories

DragonTail USB 2,0 Extender

- Solid 5% Silver Conductors
- Signal Conductors Controlled for Digital-Audio Directionality

EU Retail	19.95

DragonTail for Android™ OTG Cable with USB Micro

- Solid 5% Silver Conductors
- Direction Controlled for Lower RF Noise

EU Retail	19.95

DragonTail for Android™ OTG Cable with USB C

- Solid 5% Silver Conductors
- Direction Controlled for Lower RF Noise

EU Retail	19.95

Wired vs. Wireless

Wireless networks (Wi-Fi) provide a convenient solution for connecting to the Internet or sending and receiving emails and files. However, when it comes to streaming high-resolution media throughout the home, the convenience of Wi-Fi comes with significant performance compromises. At a distance of only 20 feet, some wireless routers lose as much as 85% of their data throughput. These losses in throughput cause dropouts in your media, higher-variable compression rates, and an overall loss in audio and video fidelity. In addition, as you increase the number of devices on a wireless network, you *decrease* the potential bandwidth available to each device.

Wired Ethernet offers uncompromised data rates at distances up to 328 feet for Cat7 and 180 feet for Cat6, avoiding Wi-Fi's precipitous dropoff in data rates over distance. This ensures that all of your high-quality media streams reach their intended end devices (TVs, Apple TV, Roku, receivers, audio streamers) with no compromise to the data. The end result is greater reliability and better sound and picture.

Even generic Ethernet cable offers audio performance that's clearly superior to the fastest, most robust wireless networked-audio system. Moving beyond the limitations of wireless, the specific cable matters, too. AudioQuest offers multiple CAT600 (Cat6) and CAT700 (Cat7) bulk Ethernet cables for whole-house "electronic plumbing," as well as prepared RJ/E Ethernet cables. While Cat6/CAT600 cables support network speeds up to 1 Gigabit per second (Gbps), Cat7/CAT700 cables support network speeds up to 10 Gbps at 100 meters length. AudioQuest's CAT700 and RJ/E prepared Ethernet cables are all built on a Cat7 foundation, the highest Cat standard.

Our CAT600 DCP (Digital Copper Plumbing) combines Solid Long-Grain Copper (LGC) Conductors, controlled for proper digital-audio directionality, with Solid High-Density Polyethylene insulation that both ensures critical signal-pair geometry and minimizes insulation-induced phase distortion. CAT600 FMJ (Full Metal Jacket) offers all the same benefits as DCP, but adds an overall shield for lower noise, cleaner sound, and greater dynamics. CAT700 Pearl uses Hard-Cell Foam insulation because the stiffness of the material allows the conductors in the cable to maintain the same geometric relationship along the full length of the cable, thus ensuring that the characteristic impedance of the cable is consistent. CAT700 Forest and CAT700 Carbon offer all of the same benefits as CAT700 Pearl, but upgrade from Pearl's Solid Long-Grain Copper conductors with Solid 0,5% Silver and Solid 5% Silver conductors, respectively.

For shorter runs in high-performance applications, AudioQuest's RJ/E Ethernet line offers a complete solution with an easy, affordable entry and a clearly worthwhile, exciting upgrade path. RJ/E Pearl combines Solid Long-Grain Copper conductors with our geometry-stabilizing Solid High-Density Polyethylene insulation in a simple, but handsome PVC jacket. The durable gold-plated connectors provide 100% shield coverage and feature an extra-strong tab for flawless performance. RJ/E Forest upgrades Pearl's copper conductors with our Solid 0,5% Silver conductors, while the still-affordable RJ/E Cinnamon adds an attractive black-and-red braid and takes another step up to higher-purity Solid 1,25% Silver conductors. Vodka's Solid 10% Silver conductors offer improved clarity and detail, while its Carbon-Based 3-Layer Noise-Dissipation System (NDS) shields the shields, absorbing and reflecting most of the sonically detrimental noise/RF energy before it reaches the layer attached to ground. Finally, our top-of-the-line RJ/E Diamond makes the big jump up to our highest quality metal—Solid 100% Perfect-Surface Silver (PSS) conductors—and adds our patented Dielectric-Bias System (DBS) for unrivaled performance, with clearer overall sound, extraordinary detail, and stunning dynamic contrasts.

In addition to AudioQuest's hallmark materials and techniques, the top Ethernet models feature extreme-performance Telegärtner RJ45 connectors, which employ a patented combination of geometry and circuitry to minimize impedance-mismatch distortion. The improvement in performance is slap-in-the-ears obvious and indicative of the difference all connectors and materials make.

Once you hear our RJ/E Ethernet cables, you'll never go back to the "convenience" of wireless.

To download CAT600 and CAT700 cable termination manuals, go to http://www.audioquest.com/custom-install/manuals/
To see an ITC demo video, go to http://www.audioquest.com/custom-install/itc-instant-tool-less/itc_tips/

RJ/E (Ethernet) Cables

RJ/E Pearl

RJ/E Forest

RJ/E Cinnamon

Metal	Solid Long-Grain Copper (LGC)	Solid 0,5% Silver	Solid 1,25% Silver
Dielectric	Geometry Stabilizing Solid High-Density Polyethylene		
Noise-Dissipation System	No		
Jacket	CMG (CL3 & FT4) Rated Black/Gray Stripe PVC	CMG (CL3 & FT4) Rated Black/Green Stripe PVC	Up to 3,0m - Black/Red Braid 5,0m and Longer – CMG (CL3 & FT4) Rated Black/Red Stripe PVC
Terminations	Gold-Plated Nickel Connectors with 100% Shield Coverage		

Length	EU Retail	EU Retail	EU Retail
0.75m	27.50	42.50	82.50
1.5m	29.00	52.50	99.00
3.0m	49.00	75.00	129.00
5.0m	69.00	109.00	175.00
8.0m	99.00	149.00	239.00
12.0m	149.00	219.00	329.00

RJ/E Vodka



RJ/E Diamond

72v DBS



Metal	Solid 10% Silver	Solid 100% Perfect-Surface Silver (PSS)
Dielectric	Geometry Stabilizing Solid High-Density Polyethylene	
Noise-Dissipation System	Carbon-Based 3-Layer Noise-Dissipation System	
Jacket	Up to 3,0m – Black/Blue Braid 5,0m and Longer – CMG (CL3 & FT4) Rated Black/Blue PVC	Black/Silver Braid
Terminations	Precision-Made Low-Loss Ultra-Wide Bandwidth Connectors with 100% Shield Coverage and Strain Relief	

Length	EU Retail	EU Retail
0.75m	275.00	759.00
1.5m	375.00	1,299.00
3.0m	579.00	2,399.00
5.0m	849.00	3,849.00
8.0m	1,275.00	5,999.00
12.0m	1,825.00	8,799.00

Bulk Cat6 & Cat7 Cables, Plugs & Tools

CAT600 DCP
(Digital Copper Plumbing)



Metal	Solid LGC
Shield	N/A
Gauge	23 AWG
Dielectric	Solid High-Density Polyethylene
Jacket	CMG (CL3 & FT4) Rated PVC (White, Dark Gray, Blue)
EU Retail	**671.00 (2.20/m)**
305m Spool	

CAT600 FMJ
(Full Metal Jacket)

Metal	Solid LGC
Shield	Overall Shield
Gauge	23 AWG
Dielectric	Solid High-Density Polyethylene
Jacket	CMG (CL3 & FT4) Rated PVC (White, Black, Light Blue)
EU Retail	**585.20 (3.85/m)**
152m Spool	

CAT700 Pearl



Metal	Solid LGC
Shield	Overall Shield and Individual Pairs
Gauge	23 AWG
Dielectric	Hard-Cell Foam
Jacket	CMG (CL3 & FT4) Rated PVC (White, Medium Gray, Blue)
EU Retail	**912.00 (6.00/m)**
152m Spool	

CAT700 Forest

Metal	Solid 0,5% Silver
Shield	Overall Shield and Individual Pairs
Gauge	23 AWG
Dielectric	Hard-Cell Foam
Jacket	CMG (CL3 & FT4) Rated PVC (White, Green, Blue)
EU Retail	**2,090.00 (13.75/m)**
152m Spool	

CAT700 Carbon

Metal	Solid 5% Silver
Shield	Overall Shield and Individual Pairs
Gauge	23 AWG
Dielectric	Hard-Cell Foam
Jacket	CMG (CL3 & FT4) Rated PVC (Dark Gray)
EU Retail	**9,880.00 (65.00/m)**
152m Spool	

Connectors for CAT600 DCP
(Also fits all standard Cat6 cables)

Load Bar Connector Boot

Cat6 Bag Part #: CAT6PLUG

EU Retail	**1.50 Each**

Connectors for CAT600 FMJ
(Also fits all standard shielded Cat6 cables)

Load Bar Connector Boot

CAT600 FMJ Bag Part #: CAT6FMJPLUG

EU Retail	**2.75 Each**

Connectors for CAT700
(Also fits all standard Cat6a/Cat7 cables)

Load Bar Connector Boot

Cat6a/7 Bag Part #: CAT7PLUG

EU Retail	**2.75 Each**

Telegärtner Male Connector for CAT700
(Also fits all standard Cat6a/Cat7 cables)

EU Retail	**22.50 Each**

Cat6/6a/7 Crimping Tool

Tool includes Cat6 and Cat7 die, See page 58.

EU Retail	**99.00**

Reference Chart

	CAT600 DCP	CAT600 FMJ	CAT700 Pearl	CAT700 Forest	CAT700 Carbon
CAT600 DCP Connector	X				
CAT600 FMJ Connector		X			
CAT700 Connector			X	X	X
Telegärtner Connector			X	X	X

To download CAT600 and CAT700 cable termination manuals, go to http://www.audioquest.com/custom-install/manuals/
To see an ITC demo video, go to http://www.audioquest.com/custom-install/itc-instant-tool-less/itc_tips/

Are AudioQuest HDMI Cables 4K Compliant?

AudioQuest HDMI up to 15,0m exceeds 18Gbps requirement for 4K UltraHD, HDR, HDCP 2,2, Blu-ray UltraHD, 3D, 4:4:4 Color, Etc.

The AudioQuest line of HDMI cables begins with Pearl, which employs Solid Long-Grain Copper conductors. The next model up is Forest, which features Solid 0,5% Silver conductors. Each successive model uses a higher percentage of silver, from Cinnamon's 1,25% to Chocolate's 2,5%. (Note: The silver plating itself is made of 100% silver. The percentages refer to the amount of silver that makes up the entire conductor.)

All AudioQuest HDMI cables up to and including 8 meters exceed the 18Gbps requirement for 4K UltraHD, HDR, HDCP 2,2, Blu-ray UltraHD, 3D, 4:4:4 Color and can therefore transmit 100% of the data required for all of HDMI's current features.

All AudioQuest HDMI cables honor the fact that HDMI is an audio cable as well as a video cable; all signal conductors, including those dedicated to the Audio Return Channel feature, are controlled and labeled for correct directionality, ensuring the best sonic performance. Using a careful combination of high-quality materials, rigorous testing, and expert design, AudioQuest HDMI cables are made to maximize the audio and video experience.

As interest and enthusiasm in 4K technology continues to surge, many of our customers continue to have questions regarding cable compatibility. First and foremost among these questions is: Are AudioQuest HDMI cables 4K compliant?

The answer, of course, is Yes.

The single qualification by which an HDMI cable is deemed 4K compliant is its ability to pass 18Gbps. In other words, if an HDMI cable can pass 18Gbps, then it is compatible with 4K.

All AudioQuest HDMI cables, up to 8,0m, are capable of achieving data rates of 18Gbps (or greater). Thus, all AudioQuest cables, up to 8,0m, are compatible with 4K.

18Gbps data rates allow for, but are not limited to, the following advancements in image reproduction:

- Resolution up to 3840 x 2160
- Wide Color Gamut: 10-bit color depth (with possible provisions for 12-bit in the future)
- High Dynamic Range (HDR)
- The following frame rates:
  - ◇ 120p, 119.88p, 100p, 60p, 59.94p, 50p, 30p, 29.97p, 25p, 24p, 23.976p
- The following Chroma Sub-Sampling:
  - ◇ **4:4:4:** In which every image pixel has its chrominance value included. Y/Cr/CB all have the same sampling rate. Therefore, there is no sub-sampling. (100% of the color.)
  - ◇ **4:2:2:** In which the horizontal chroma resolution is halved, with vertical resolution remaining full. This reduces the bandwidth of an uncompressed video signal by one-third, with little to no visual difference (1/2 the horizontal resolution with full vertical resolution; 50% of the color.)
  - ◇ **4:2:0:** In which both the vertical and horizontal resolutions are halved, leaving 25% of the color information.
- It is important to note that Ultra HD Blu-Ray discs are all encoded at 4:2:0.

While the transition from standard-definition to high-definition (720p or 1080i) television was driven by a federal mandate, 4K is an industry initiative and should be viewed as a progressive maturation of technologies. HDMI customers should be assured that all AudioQuest HDMI cables, up to 8,0m, are 100% Capable, meeting the 18Gbps requirements for 4K.

Slim HDMI Cables

All AudioQuest HDMI cables, up to 8,0m, are capable of achieving data rates of 18Gbps (or greater). Thus, all AudioQuest cables, up to 8,0m, are compatible with 4K.

HDMI Slinky
Standard HDMI to Standard HDMI

HDMI Slinky
Micro to Standard HDMI

Metal	Solid Long-Grain Copper (LGC)
Dielectric	Geometry Stabilizing Solid-Polyethylene
Jacket	Blue/Black Stripes PVC
Type	High Speed with Ethernet

Length	EU Retail
2.0m	49.00

HDMI Digital Audio/Video Cables with Ethernet

HDMI Pearl

HDMI Forest

HDMI Cinnamon

HDMI Chocolate

Metal	Solid LGC	Solid 0.5% Silver	Solid 1.25% Silver	Solid 2.5% Silver
Dielectric	Hard-Cell Foam			
Noise-Dissipation System	No		Metal-Layer Noise-Dissipation System	
Jacket	CMG (CL3 & FT4) Rated Black/White Stripe PVC	CMG (CL3 & FT4) Rated Black/Green Stripe PVC	Up to 2.0m: Braided; 3.0 – 4.0m: CMG (CL3 & FT4) Rated Black/Red PVC	Up to 3.0m: Braided; 4.0m: CMG (CL3 & FT4) Rated White PVC
			5.0m and Longer: CMG (CL3 & FT4) Rated (Meets Code for In-Wall) White PVC	
Type	0.6m to 15.0m (49 Feet) Carry Full HDMI 2.0 4K + HDR, 18Gbps, 10.0m - 15.0m Active			

Length	EU Retail	EU Retail	EU Retail	EU Retail
0.6m	27.50	39.00	69.00	99.00
1.0m	29.00	49.00	75.00	109.00
1.5m	35.00	59.00	95.00	129.00
2.0m	39.00	69.00	109.00	149.00
3.0m	55.00	99.00	139.00	199.00
4.0m	89.00	129.00	189.00	259.00
5.0m	109.00	149.00	219.00	319.00
8.0m	159.00	239.00	329.00	N/A
10.0m	219.00	329.00	439.00	N/A
12.5m	259.00	399.00	529.00	N/A
15.0m	359.00	529.00	769.00	N/A

HDMI Carbon

HDMI Vodka

HDMI Coffee

72v DBS

HDMI Diamond

72v DBS

Metal	Solid 5% Silver		Solid 10% Silver	Solid 100% PSS Silver
Dielectric	Hard-Cell Foam			
Noise-Dissipation System	Carbon-Based 3-Layer Noise-Dissipation System			
Jacket	Up to 3,0m: Braided	4,0m: CMG (CL3 & FT4) Rated White PVC	Up to 3,0m: Braided	
	5,0m and Longer: CMG (CL3 & FT4) Rated (Meets Code for In-Wall) White PVC			5,0m and Longer: CMG Rated Charcoal PVC
Type	0,6m to 5,0m (49 Feet) Carry Full HDMI 2,0 4K + HDR, 18Gbps			

Length	EU Retail	EU Retail	EU Retail	EU Retail
0.6m	159.00	289.00	469.00	1,029.00
1.0m	185.00	319.00	549.00	1,199.00
1.5m	225.00	369.00	649.00	1,399.00
2.0m	259.00	419.00	759.00	1,649.00
3.0m	329.00	499.00	989.00	1,999.00
4.0m	429.00	N/A	N/A	N/A
5.0m	529.00	N/A	N/A	N/A

HDMI Adaptors

HDMI 90°/W
Wide Side [W] Right Angle Bend

Part Number: 69-051-01

EU Retail	16.50

HDMI 90°/N
Narrow Side [N] Right Angle Bend

Part Number: 69-046-01

EU Retail	16.50

HDMI 90° NU/R
Narrow Up [NU] Bends Right

Part Number: 69-055-01

EU Retail	16.50

HDMI 90° NU/L
Narrow Up [NU] Bends Left

Part Number: 69-056-01

EU Retail	16.50

HDMI A ➔ C Adaptor
Standard [Type A] to Mini [Type C]

Part Number: 69-045-01

EU Retail	16.50

HDMI A ➔ D Adaptor
Standard [Type A] to Micro [Type D]

Part Number: HDMADAD

EU Retail	16.50

HDMI A ➔ C & D Adaptor
Standard [Type A] to Mini [C] & Micro [D]

Part Number: HDMACDAD

EU Retail	16.50

HDMI Coupler
Female HDMI to Female HDMI

Part Number: 69-050-01

EU Retail	16.50

HDMI-IN ➔ DVI-OUT
F-HDMI to M-DVI

Part Number: HDM/DVIF2M

EU Retail	29.95

DVI-IN ➔ HDMI-OUT
F-DVI to HDIM

Part Number: HDM/DVIM2F

EU Retail	29.95

Mini Display Port to HDMI 4K Adaptor

Part Number: MDPDONGLE4

EU Retail	29.95

USB Digital-Audio Converters

DragonFly USB Digital-Audio Converter

DragonFly® Black

USB DAC + Preamp + Headphone Amp

Beautiful Sound from Any Mobile Device or Computer

- USB Stick-Sized Digital-to-Analog Converter
- Medium-Output (1,2 volt)
- Plays All Music Files: MP3 to High-Resolution
- Drives Headphones Directly
- Variable Output Drives Powered Speakers or Power Amp
- Fixed Output Feeds Preamp or Receiver
- Asynchronous Transfer Ensures Digital Timing Integrity

EU Retail	99.00

DragonFly® Red

USB DAC + Preamp + Headphone Amp

Beautiful Sound from Any Mobile Device or Computer

- USB Stick-Sized Digital-to-Analog Converter
- High-Output (2,1 volt)
- Plays All Music Files: MP3 to High-Resolution
- Drives Headphones Directly
- 64 Bit, Bit-Perfect Variable Output Drives Headphones, Powered Speakers, or Power Amp
- Fixed Output Feeds Preamp or Receiver
- Asynchronous Transfer Ensures Digital Timing Integrity

EU Retail	199.00

Beetle Optical–Bluetooth–USB Digital-to-Analog Converter

Beetle™

Optical–Bluetooth–USB DAC

Beautiful Sound from Smartphones, Tablets, Computers, TVs, Game Consoles and Many Other Digital Sources

- High-performance Optical input, coupled with ESS's 9010 Time Domain Jitter Eliminator®
- Asynchronous USB with Streamlength technology
- Asynchronous Bluetooth with Streamlength BT technology
- Minimum-Phase Digital Filter
- Free desktop application for personalization and software/firmware updates



EU Retail	199.00

Headphones

Remarkably Low Distortion for Clean, Clear, Naturally Beautiful Sound

Take flight, move forward and enjoy deeper immersion with AudioQuest headphones.

AudioQuest headphones combine sophisticated materials and innovative design to provide outstanding comfort, gorgeous looks, and naturally beautiful sound for immersive, enriching, fatigue-free listening. These are products design to engage, seduce, and satisfy *all* of the senses. Products designed to inspire: music lovers and headphone enthusiasts, as well as thinkers, builders, engineers, and creators of all sorts. Products designed, like all AudioQuest products, to minimize distortion and to *do no harm*.

NightHawk Carbon now boasts several acoustic, ergonomic, and cosmetic refinements, while retaining the original model's unrivaled comfort, uncommonly low distortion, and naturally beautiful sound.

NightOwl Carbon trades its siblings' semi-open grille for an intelligently damped closed-back design that enables exceptional isolation from external noise and even deeper sonic immersion.

- Loudspeaker-inspired technology: 50mm dynamic driver with biocellulose diaphragm, rubber surround, and true voice-coil former defeats the resonant coloration and distortion that plagues typical headphones
- Exceptionally flat impedance enables greater compatibility with a wide range of amplifiers and source components, including mobile devices
- Patent-pending suspension system provides unsurpassed comfort and fatigue-free listening
- High-performance headphone plug adaptor features direct-silver plated high-purity copper
- Specifications:
  Impedance: 25 ohms |
  Sensitivity: 99dBSPL / mW |
  Power Handling: 1,5W Weight: 346g (12,2 oz.) |
  Driver: 50mm Dynamic - Biocellulose Diaphragm - 1,2T Split-Gap Motor

NightHawk Carbon Headphones

- Around-the-ear semi-open design
- 3D-printed biomimetic sound-diffusing grille
- Acoustically superior, sustainably engineered materials
- Patent-pending suspension system with freely articulating earcups counteracts intrusive resonances
- Pistonic driver with biocellulose diaphragm and compliant rubber surround
- Patented split-gap motor dramatically reduces intermodulation distortion
- AudioQuest cable with improved strain relief; non-microphonic, kink-free jacket; discrete mic and smartphone controls
- Carbon Grey Metallic high-gloss finish

NightHawk Carbon Headphones	
EU Retail	699.00

NightOwl Carbon Headphones

- Around-the-ear closed-back design
- Aperiodic damping system for excellent isolation of external noise
- Acoustically superior, sustainably engineered materials
- Patent-pending suspension system with freely articulating earcups counteracts intrusive resonances
- Pistonic driver with biocellulose diaphragm and compliant rubber surround
- Patented split-gap motor dramatically reduces intermodulation distortion
- AudioQuest cable with improved strain relief; non-microphonic, kink-free jacket; discrete mic and smartphone controls
- Carbon Grey Metallic high-gloss finish

NightOwl Carbon Headphones	
EU Retail	699.00

Perch Headphone Stand

- Easily and safely accomodates all headphones
- High-quality materials
- Heavy base provides stability

Perch Headphone Stand	
EU Retail	89.00

Headphone Accessories

Headphone Plug Adaptor

- Stereo 3,5mm Female > Stereo 6,35mm (1/4″) Male
- Silver Plating Directly Over Machined Extreme-Purity Solid Copper
- Superior Materials and Firm Contact Pressure Ensure Ideal Signal Transfer

EU Retail	24,95

AC Power

The AudioQuest Niagara Series - Low-Z Power I Noise-Dissipation System



Redefining the Science of Power Conditioning

The science of AC power delivery is not a simple one; it demands focus, and the devil is in the details. In fact, the great increase in airborne and AC-line-transmitted radio signals (satellite, Bluetooth, cellular), combined with overtaxed utility lines and the ever-increasing demands from high-definition audio/video components, has rendered the AC power coming to us through our utilities an antiquated technology.

Further, today's power amplifiers are being taxed for instantaneous peak-current demand, even when driven at modest volume levels. Although we have seen a substantial increase in dynamic range from much of our audio software, the loudspeakers we use to reproduce them are often no more efficient than they were five decades ago. This places great demands on an amplifier's power supply, as well as the AC power source supplying it.

Through differential tests and spectrum analysis, it can be proven that up to a third of a high-resolution (low-level) audio signal can be lost, masked, or highly distorted by the vast levels of noise riding along the AC power lines that feed our components. This noise couples into the signal circuitry as current noise through both the AC line and ground, permanently distorting and/or masking the sensitive source signal.

Once the signal is gone, it's gone forever…

The Niagara Series addresses these issues to ensure maximum system performance. The series boasts many unique features such as our patented AC Ground Noise-Dissipation System, the widest bandwidth-linearized AC filter in the industry, and our unique Transient Power Correction circuit (which supplies an instantaneous current reservoir of over 90 amps peak), our patented Dielectric-Biased Isolation Transformers, proprietary noise filtering capacitors formed by a process developed by NASA and Jet Propulsion Laboratories, Hanging-Silver direct-plated connectors over high purity red and beryllium coppers, and directionally-oriented solid copper conductors just to name a few.

A great system is built from a solid foundation, and that foundation starts with its AC power source. With the AudioQuest Niagara Series, you'll experience for the first time the clarity, dimensionality, frequency extension, dynamic contrast, and grip your system has always been capable of delivering—if only the power had been pure!

Niagara 1000

EU Retail	1,195.00

- In Excess of 20 Octaves of Linearized Transverse-Mode (Differential) Filtering
- Patented Ground Noise-Dissipation Technology
- Non-Sacrificial and Sonically Non-Invasive Over-Voltage Shut-Down and Transient Surge Suppression

Maximum RMS Input Current: 15 Amps (RMS)

Maximum RMS Current per Source Component Output Bank: 15 Amps (RMS)

Outlets: Source (5); High-Current (1)

Dimensions: 11.43cm W x 13.31cm H x 50.8cm D

Weight: 2.49 kgs.

Niagara 5000

EU Retail	4,495.00

- 80 Amps Peak AC Transient Power Correction (Increased Performance and Current Reservoir for Any Power Amplifier)
- In Excess of 23 Octaves of Linearized Transverse-Mode (Differential) Filtering
- Patented Ground Noise-Dissipation Technology
- Non-Sacrificial and Sonically Non-Invasive Over-Voltage Shut-Down and Transient Surge Suppression

Maximum RMS Input Current: 20 Amps (RMS)

Maximum RMS Current per Source Component Output Bank: 20 Amps (RMS)

Outlets: Source (8); High-Current (3)

Dimensions: 44.45cm W x 13.31cm H x 43.69cm D (3-RU Rack Mount Kits Optional)

Weight: 17.24 kgs.

Niagara 7000

EU Retail	8,995.00

- Two Patented Dielectric-Biased Symmetrical Power Isolation Transformers (Source Component Outlets)
- 80 Amps Peak AC Transient Power Correction (Increased Performance and Current Reservoir for Any Power Amplifier)
- In Excess of 23 Octaves of Linearized Transverse-Mode (Differential) Filtering
- Patented Ground Noise-Dissipation Technology
- Non-Sacrificial and Sonically Non-Invasive Over-Voltage Shut-Down and Transient Surge Suppression

Maximum RMS Input Current: 20 Amps (RMS)

Maximum RMS Current per Source Component Output Bank: 5 Amps (RMS)

Outlets: Source (8–4 per Bank); High-Current (3)

Dimensions: 44.45cm W x 13.31cm H x 43.69cm D (3-RU Rack Mount Kits Optional)

Weight: 39 kgs.

AC Power Cables: X Series

NRG-X2



Metal	Semi-Solid Concentric Packed LGC
Gauge	2 x 15 AWG (2 x 1,65mm²)
Geometry	Helical Array
Jacket	Black/Gray Braid
Terminations	2-Pole Wall Plug to IEC C–7 or C–17

Length	EU Retail
0.9m	59.00
1.8m	75.00
3.0m	99.00
4.6m	125.00
6.1m	149.00

NRG-X3



Metal	Semi-Solid Concentric Packed LGC
Gauge	3 x 15 AWG (3 x 1,65mm²)
Geometry	Helical Array
Jacket	Black/Gray Braid
Terminations	3-Pole Wall Plug to IEC C–13 or C–5

Length	EU Retail
0.9m	79.00
1.8m	109.00
3.0m	145.00
4.6m	185.00
6.1m	229.00

AC Power Cables: 2-Pole Wall Plug to IEC C–7 Connector

NRG-1



Metal	Solid Long-Grain Copper (LGC)
Gauge	2 x 16 AWG (2 x 1,31mm²)
Geometry	Star-Quad HyperLitz
Jacket	Black/Blue/Gray Braid
Terminations	2-Pole Wall Plug to IEC C–7

Length	EU Retail
0.9m	79.00
1.8m	99.00
3.0m	119.00
4.6m	149.00
6.1m	175.00

NRG-1,5



Metal	Solid Perfect-Surface Copper+ (PSC+)
Gauge	2 x 16 AWG (2 x 1,31mm²)
Geometry	Star-Quad HyperLitz
Jacket	Black/Gray/Silver/Red Braid
Terminations	2-Pole Wall Plug to IEC C–7

Length	EU Retail
0.9m	135.00
1.8m	185.00
3.0m	249.00
4.6m	335.00
6.1m	415.00

AC Power Cables: 3-Pole Wall Plug to IEC C–13 15 AMP Connector

NRG-2

EU

UK

NRG-4

EU

UK

	NRG-2	NRG-4
Metal	Solid Long-Grain Copper (LGC)	Solid PSC+ / PSC
Gauge	3 x 13 AWG (3 x 2,63mm²)	3 x 13 AWG (3 x 2,63mm²)
Geometry	Counter-Spiral HyperLitz	Counter-Spiral HyperLitz
Noise-Dissipation System	No	Multi-Position Carbon-Based Noise-Dissipation and Cross-Talk-Dissipation Systems
Jacket	Black/Gray/Green Braid	Black/Gray/Blue Braid
Terminations	EU: 2-Pole Wall Plug to IEC UK: 3-Pole Wall Plug to IEC	EU: 2-Pole Wall Plug to IEC UK: 3-Pole Wall Plug to IEC
Length	**EU Retail**	**EU Retail**
0.9m	**135.00**	**279.00**
1.8m	**185.00**	**395.00**
3.0m	**249.00**	**549.00**
4.6m	**335.00**	**739.00**
6.1m	**415.00**	**935.00**
For Custom Lengths, Use Formula:	**N/A**	**N/A**

AC Power Cables: Storm Series

Thunder | High-Current

EU

Metal	Solid LGC / PSC
Gauge	11 AWG
Technology	Zero Characteristic Impedance (50Hz – 1MHz); Ground Noise-Dissipation; 72V Dielectric Bias System
Jacket	Black
Terminations	Cold-Welded Connectors
Length	**EU Retail**
1.0m	**669.00**
2.0m	**799.00**
3.0m	**929.00**
For Custom Lengths, Use Formula:	**130.00/m + 539.00**

Tornado | High-Current

EU

Metal	PSC+ / PSC
Gauge	11 AWG
Technology	Zero Characteristic Impedance (50Hz – 1MHz); Ground Noise-Dissipation; 72V Dielectric Bias System
Jacket	Black / Carbon
Terminations	Cold-Welded Connectors
Length	**EU Retail**
1.0m	**1,039.00**
2.0m	**1,299.00**
3.0m	**1,559.00**
For Custom Lengths, Use Formula:	**260.00/m + 779.00**

Hurricane | High-Current

EU

Metal	PSC+
Gauge	11 AWG
Technology	Zero Characteristic Impedance (50Hz – 1MHz); Ground Noise-Dissipation; 72V Dielectric Bias System
Jacket	Red / Black
Terminations	Cold-Welded Connectors
Length	**EU Retail**
1.0m	**1,599.00**
2.0m	**2,299.00**
3.0m	**2,999.00**
For Custom Lengths, Use Formula:	**700.00/m + 899.00**

Storm Series AC power cables can be ordered with alternative connectors, see page 51 for options

AC Power Cables: Dragon Series

Dragon | Source

EU

Metal	PSS / PSC+
Gauge	16 AWG
Technology	Zero Characteristic Impedance (50Hz – 1MHz); Ground Noise-Dissipation; 72V Dielectric Bias System
Jacket	Carbon / Black
Terminations	Cold-Welded Connectors
Length	**EU Retail**
1.0m	**3,799.00**
2.0m	**6,599.00**
3.0m	**9,399.00**
For Custom Lengths, Use Formula:	**2,800.00/m + 999.00**

Dragon | High-Current

EU

Metal	PSS / PSC+
Gauge	11 AWG
Technology	Zero Characteristic Impedance (50Hz – 1MHz); Ground Noise-Dissipation; 72V Dielectric Bias System
Jacket	Carbon / Black
Terminations	Cold-Welded Connectors
Length	**EU Retail**
1.0m	**4,799.00**
2.0m	**8,599.00**
3.0m	**12,399.00**
For Custom Lengths, Use Formula:	**3,800.00/m + 999.00**

Storm Series AC power cables can be ordered with alternative connectors, see page 51 for options

AC Power Plugs

	NRG-500 Wall Plug	NRG-500 IEC C–13 (15 AMP)	NRG-500 IEC C–19 (20 AMP)	NRG-1000 Wall Plug	NRG-1000 IEC C–13 (15 AMP)	NRG-1000 IEC C–19 (20 AMP)
	EU			EU		
Metal	Hanging-Gold Directly Over Pure **Purple** Copper			Hanging-Silver Directly Over Pure **Red** Copper		
Case	ABS Housing (Non-Metallic)			ABS Housing (Non-Metallic)		
EU Retail	**99.00 Each**	**99.00 Each**	**99.00 Each**	**199.00 Each**	**199.00 Each**	**199.00 Each**

Female To Male IEC Adaptors

Premium Single-Piece Metal Conductors from Input to All Outputs Preserve Advantages of Superior Audioquest NRG Series AC Cables.

IEC-90/1



EU Retail	16.95

IEC-90/2



EU Retail	16.95

C7 90º Adaptor Kit

(E)

(U)

- Provides 90˚ bends for C7 power connections
- Also connects for double bends
- Non-polarized for maximum flexibility
- EU Retail package contains 1 x “E” adaptor and 1 x “U” adaptor

E = Equal radius **U** = Unequal radius

EU Retail	16.95

CleanScreen

CleanScreen Kit

150 ml Bottle + 10 ml Spray + Retractable Brush

Microfiber cloth (x 2)

10 ml spray

150 ml bottle

Retractable brush

EU Retail (Each)	20.00

Antenna Cable & Antenna Adaptor

Antenna Forest

Available in Male ↔ Male, Male ↔ Female, F ↔ F



Center Metal	Solid 0.5% Silver
Shield	3-Layer Shield: Foil + 90% Braid + Foil
CL3/FT4 Jacket	Green/Dark Gray Stripes

Meter	EU Retail
1,5m	35.00
3,0m	45.00
4,5m	55.00

Antenna 90

Part Number: M21-ANT90S

EU Retail	7.95

Accessories

SorboGel Q-Feet System

Set of 4 energy-absorbing feet each with a “tray” which improves performance and protects furniture. Each foot supports up to 4 kg. (8 lbs.).

EU Retail	109.00/Set of 4

RCA Noise-Stopper Caps

Blocks a significant path for incoming high-frequency energy to interfere with circuit performance.

EU Retail	42.50/Set of 10

XLR Input or Output Noise-Stopper Caps

Blocks a significant path for incoming high-frequency energy to interfere with circuit performance.

Input Caps Output Caps

EU Retail	31.50/Set of 2

Sorbothane Self-Stick Sheet

6” x 6” x 0,10” sheet can be cut to size to damp anything, especially effective on top surface of speaker stands.

EU Retail	27.50

Binding-Post Wrench

Real tool-quality double-ended nut driver with metal inserts.

Fits 7/16” & 1/2” binding posts.

EU Retail	14.95

PSC BiWire Jumpers

Solid PSC Copper Jumpers replace stamped jumpers supplied with BiWirable speakers. Four 4” jumpers.

Choose:
- BiWire Jumpers-G (Direct-Gold Plated) or
- BiWire Jumpers-S (Direct-Silver Plated)

EU Retail	27.50/Set of 4

PreAmp Jumpers

Solid PSC+ conductors in Polyethylene Air-Tubes. Replaces factory fitted “U” jumpers on integrated amps & receivers.

EU Retail	31.50/Pair

Voltage Upgrade Kit for DBS

FOR USE WITH EXISTING DBS CABLES ONLY.

Kit Includes: 1 x 72V DBS (inc. Batteries)
2 x Velcro Bands

Please Specify:
Black *or* ***Carbon***

	Black	Carbon
EU Retail	89.00	129.00

HDMI Noise-Stopper Caps

AQ Noise-Stopper Caps fit over unused HDMI inputs or outputs, preventing RFI and EMI noise from entering the active circuit.

Noise-Stopper Caps also protect against dust and corrosion.

EU Retail	21.95/Set of 4

RJ45 Noise-Stopper Caps

AQ Noise-Stopper Caps fit over unused RJ45 inputs or outputs, preventing RFI and EMI noise from entering the active circuit.

Noise-Stopper Caps also protect against dust and corrosion.



EU Retail	21.95/Set of 4

USB Noise-Stopper Caps

AQ Noise-Stopper Caps fit over unused USB inputs or outputs, preventing RFI and EMI noise from entering the active circuit.

Noise-Stopper Caps also protect against dust and corrosion.



EU Retail	21.95/Set of 4

Splitters and RCA Adaptors: Mini Plugs

**For Subwoofers Requiring the Use of Both RCA Input Jacks,
Order FLX-X RCA Splitter (Female RCA → 2 Male RCAs) in Addition to the Subwoofer Cable.**

FLX-Mini Splitter

Part Number: MINI-FLX3.5

Metal	Solid Perfect-Surface Copper+ (PSC+)
Jacket	Silver/White Braid
Connectors	Male Stereo 3.5mm ↔ 2 x Female Stereo 3.5mm
Length	15cm
EU Retail	**18.95**

FLX-Mini/RCA Adaptor

Part Number: MINI-FLX3.52RCA

Metal	Solid Perfect-Surface Copper+ (PSC+)
Jacket	Silver/White Braid
Connectors	Male Stereo 3.5mm ↔ 2 x Female RCA (L & R)
Length	15cm
EU Retail	**18.95**

FLX-X RCA Splitters

Part Number: M22F-FLX-X

Metal	Solid Long-Grain Copper (LGC)
Jacket	Black/Gray Braid
Connectors	RCA Male ↔ 2 Female (L & R)
Length	15cm
EU Retail	**18.95**

FLX-X RCA Splitters

Part Number: F22M-FLX-X

Metal	Solid Long-Grain Copper (LGC)
Jacket	Black/Gray Braid
Connectors	RCA Female ↔ 2 Male (L & R)
Length	15cm
EU Retail	**18.95**

Hard Mini/RCA Adaptor

Part Number: 3.5MM2RCA

Connectors	Male 3.5mm ↔ 2 x Female RCA (L & R)
EU Retail	**14.50**

Audio/Video Adaptors & Couplers in EU Retail Packaging

RCA ↔ BNC
Female RCA ↔ Male BNC

Part Number: RCA2BNC-S

EU Retail	7.95

RCA ↔ RCA
Female RCA ↔ Female RCA

Part Number: RCA2RCA-S

EU Retail	7.95

F → RCA MALE
Female F ↔ Male RCA

Part Number: F2RCA-S

EU Retail	9.95

M21F-90
Female RCA ↔ Right-Angle Male RCA

Part Number: M21F-90S

EU Retail	9.95

F → BNC MALE
Female F ↔ Male BNC

Part Number: F2BNC-S

EU Retail	9.95

F-90°
Male ↔ Female Adaptor

Part Number: M21FF90S

EU Retail	7.95

F ↔ F
Female F ↔ Female F

Part Number: F2F-S

EU Retail	7.95

Hard RCA Splitter
RCA Male ↔ 2 Female

Part Number: M22F-HRD

EU Retail	14.50

Audio & Video Connectors

RCA-300

Fits cables up to 7,0 mm. O.D.
Gold-Plated. Requires soldering.

	#300 Male	#300 Female
EU Retail	22.50/Set of 4	

Pair of Males | Pair of Females

RCA-800

#800 Premium RCA Plugs
Fits cables up to 9,0 mm. O.D.
Direct-Silver Plated.
Requires soldering.

EU Retail	65.00/Set of 4

S-20

S-Video Plug
Fits S-Video cables up to 6,0 mm. x 12,0 mm. O.D.
Gold-Plated. Requires soldering.

EU Retail	22.50

XLR Connectors

Fits cables up to 9,0 mm. O.D.
Direct-Silver Plated.
Requires soldering.

	#81 Male	#80 Female
EU Retail	49.50/Pair	

Pair of Males

Pair of Females

Right-Angle RCA, BNC and F Pin Plugs

Fits cables up to 7,5 mm. O.D.
Gold-Plated. Requires soldering.

	RCA-90°	BNC-90°	F-90°
EU Retail	22.50/Pair		

RCA

BNC

F

75Ω Splitters in EU Retail Packaging

F → 2F
5 MHz - 2 GHz

EU Retail	18.95

F → 3F
5 MHz - 2 GHz

EU Retail	24.50

F → 4F
5 MHz - 2 GHz

EU Retail	29.00

Spade, Pin and Banana Connectors Supplied with 20 x Red & 20 x Black "Boots" (except 1002)

	1410/S 1410/G	1010/S 1010/G	1414/S 1414/G	1014/S 1014/G	1056/S 1056/G	P10M/S P10M/G	BP10/S BP10/G	Crimp-BFA/S Crimp-BFA/G	1002/S 1002/G
Plating	Direct-Silver Plated & Direct-Gold Plated					Hanging-Silver & Hanging Gold	Direct-Silver Plated & Direct-Gold Plated		
Wire Size	Up to 14 AWG	Up to 10 AWG	Up to 14 AWG	Up to 10 AWG				Up to 9 AWG	N/A
Fits	3/16" Binding Post		1/4" Binding Post		5/16" Binding Post	1/4" & 5/16" Binding Post	Bendable Pin Fits Almost Everything	Standard Banana Jack	
EU Retail	**6.50/Set of 4**	**6.50/Set of 4**	**6.50/Set of 4**	**6.50/Set of 4**	**13.75/Set of 4**	**19.50/Set of 4**	**6.50/Set of 4**	**19.50/Set of 4**	**27.50/Set of 4**

BiWire Jumpers

Important: Please Specify Gold or Silver Connectors on Jumpers.

Saturn (PSC+)

Jupiter (PSS)

PSC+ with 500 Series Multi-Spade or Banana

Banana>Banana	Spade>Banana
	

Banana>Spade	Spade>Spade
	

EU Retail	199.00/Set of 4

PSS with 500 Series Multi-Spade or Banana

Banana>Banana	Spade>Banana
	

Banana>Spade	Spade>Spade
	

EU Retail	469.00/Set of 4

Tools

All the Tools Necessary to Cut, Strip, Prepare and Terminate Any AQ Cable

Cat6/6a/7 Crimping Tool & Die

Tool Includes Cat6 and Cat7 Die

Cat6 Die Also Available Separately

Tool - EU Retail	99.00
Cat6 Die - EU Retail	20.00

Rivers Interconnect Crimping Tool

Use with either Chicago RCA or Red River or Mackenzie RCA or XLR plugs

EU Retail	360.00

ITC One-Step Stripper for 18 & 24 AWG Coax Cables

Stripping Tool for ITA, ITV & HD6

EU Retail	16.50

Klein Cable Cutter

EU Retail	135.00

Wire Stripper/Cutters/Pliers Combo Tool

EU Retail	45.00

Klein Crimping Tool

For Connectors up to 10 AWG

EU Retail	135.00

Ideal Articulated Stripper

For 8 – 22 AWG Conductors

EU Retail	135.00

Paladin Jacket Stripper

Cleanly and Easily Removes the Jacket on All AQ Interconnects and Speaker Cables

EU Retail	159.00

AQ Ratchet Crimping Tool

For up to 8 AWG Conductors

EU Retail	215.00

AQ Silver Solder

Easy to Use; Clearly Sounds Better

113g (¼ lb) Spool - EU Retail	55.00
454g (1 lb) Spool - EU Retail	220.00

Instant Tool-less Connectors (ITC)

ITC-24, ITC-18
Just Push!



ITC-18

Can be used with most 18 AWG RG-6 size coax cables with OD between 6.0mm and 7,2mm.

Gold	
ITC-18G/RCA	
Part Number: 68-010-53	EU Retail: 175.00/50 (3.50 Each)
ITC-18G/BNC	
Part Number: 68-011-53	EU Retail: 200.00/50 (4.00 Each)
ITC-18G/F	
Part Number: 68-009-53	EU Retail: 100.00/50 (2.00 Each)
ITC-18G EU/ Coax M	
Part Number: 68-013-53	EU Retail: 175.00/50 (3.50 Each)
ITC-18G EU/ Coax F	
Part Number: 68-012-53	EU Retail: 175.00/50 (3.50 Each)

ITC-18

Can be used with most 18 AWG RG-6 size coax cables with OD between 6.0mm and 7,2mm.

Nickel	
ITC-18N/BNC	
Part Number: 68-011-04	EU Retail: 175.00/50 (3.50 Each)
ITC-18N EU/ Coax M	
Part Number: 68-013-04	EU Retail: 150.00/50 (3.00 Each)
ITC-18N EU/ Coax F	
Part Number: 68-012-04	EU Retail: 150.00/50 (3.00 Each)

ITC-24

Can be used with 24 AWG ITC-based coax cables made by AudioQuest.

Gold	
ITC-24G/RCA	
Part Number: 68-002-53	EU Retail: 175.00/50 (3.50 Each)
ITC-24G/BNC	
Part Number: 68-003-53	EU Retail: 200.00/50 (4.00 Each)
ITC-24G/F	
Part Number: 68-001-53	EU Retail: 100.00/50 (2.00 Each)
Nickel	
ITC-24N/BNC	
Part Number: 68-003-04	EU Retail: 175.00/50 (3.50 Each)

Color Bands for ITC Connectors



Silicon rubber bands fit all ITC connectors – even after they're attached to the cable – for easy cable identification. Available in bags of 20. One color per bag – no mixed colors. Available in 10 colors (please see above).

EU Retail	4.00/Bag of 20

OSS-18/24 (68-064-01)

ITC One-Step Stripper for 18 & 24 AWG

Stripping Tool for All ITA, ITV, HD6 & MAC Cables.

EU Retail	16.50

CL3/FT4 Analog-Audio, Mini-Coax & RG-6 Cables on Spools

ITA: 2 Channel Audio (Easy Pull-Apart) Instant Tool-less Audio – Use ITC-24

ITA-1/1	ITA-3/3	ITA-5/5

Center Conductor Metal	Solid LGC	Solid PSC	Solid PSC+
Neg. Conductor/Shield	LGC HyperLitz	PSC HyperLitz	PSC+ HyperLitz
CL3/FT4 Jacket	Blue (Pair)	Green (Pair)	Dark Gray (Pair)

Length	EU Retail	EU Retail	EU Retail
15m Spool	**105.00 (7.00/m)**	N/A	N/A
76m Spool	**532.00 (7.00/m)**	**1,064.00 (14.00/m)**	**1,672.00 (22.00/m)**
152m Spool	**1,064.00 (7.00/m)**	N/A	N/A

HD6: 18 AWG 75Ω Cables: Instant Tool-less Video, RF, Digital, Subwoofer – Use ITC-18

HD6 Pearl	HD6 Forest	HD6 Carbon

Center Metal	Solid Conductive-Coated Copper	Solid 0,5% Silver	Solid 5% Silver
Shield	3-Layer Shield: Foil + 90% Braid + Foil	3-Layer Shield: Foil + 90% Braid + Foil	4-Layer Shield: Carbon-Loaded PE + Foil + 90% Braid + Foil
CL3/FT4 Jacket Color Choices:	Dark Gray/White Stripes	Dark Gray/Green Stripes	Dark Gray/Black Stripes
	White/Gray Stripes	White/Gray Stripes	White/Gray Stripes
	Yellow/Gray Stripes	Green/Dark Gray Stripes	Black/Dark Gray Stripes

Length	EU Retail	EU Retail	EU Retail
76m Spool	*N/A*	*N/A*	**1,254.00 (16.50/m)**
152m Spool	**418.00 (2.75/m)**	**1,254.00 (8.25/m)**	*N/A*

CL3/FT4 Analog-Audio Cables on Spools

Analog-Audio Cables: Balanced (XLR) or Single-Ended (RCA)

	Chicago	Red River	Mackenzie
			
Metal	Solid Long-Grain Copper (LGC)	Solid Perfect-Surface Copper (PSC)	Solid Perfect-Surface Copper+ (PSC+)
Geometry	Double-Balanced	Triple-Balanced (Separate Ground-Reference Conductor)	
Dielectric	Hard-Cell Foam		
Noise-Dissipation System	Metal-Layer Noise-Dissipation System (NDS)		Carbon-Based 3-Layer NDS
Jacket	Black/Green Braid or CL3/FT4 PVC	Black/Red Braid or CL3/FT4 PVC	Black/Brown Braid or CL3/FT4 PVC

Length	EU Retail	EU Retail	EU Retail
Per Meter	**5.00**	**10.00**	**20.00**
50m Spool	**N/A**	**N/A**	**1,000.00**
100m Spool	**500.00**	**1,000.00**	**N/A**

Field Termination Connectors

	Chicago RCA	Red River RCA	Mackenzie RCA
Terminations	Cold-Welded, Gold-Plated		Cold-Welded, Hanging-Silver directly over pure Purple Copper

Packs	EU Retail	EU Retail	EU Retail
Set of 4	**69.00**	**69.00**	**99.00**
10 Sets of 4	**690.00**	**690.00**	**990.00**

Rivers Interconnect Crimping Tool required. See page 58 for details.

	Red River XLR	Mackenzie XLR
Terminations	Cold-Welded, Gold-Plated	Cold-Welded, Hanging-Silver directly over pure Purple Copper

Packs	EU Retail	EU Retail
Set of 4	**99.00**	**129.00**
10 Sets of 4	**990.00**	**1,290.00**

To download Chicago and Red River/Mackenzie cable termination manuals, go to http://www.audioquest.com/custom-install/manuals/

CL3/FT4 Custom-Installation Cables on Spools

SLiP-DB In-Wall Speaker Cables: CL3/FT4

16/2
+ 14/2

16/4
+ 14/4

SLiP-DB 16/2

SLiP-DB 16/4

SLiP-DB 14/2

SLiP-DB 14/4

Metal	Semi-Solid Concentric Packed Long-Grain Copper (LGC)			
Gauge	2 x 16 AWG (1,31mm²)	4 x 16 AWG (1,31mm²) (2 x 13 AWG (2,63mm²))	2 x 14 AWG (2,08mm²)	4 x 14 AWG (2,08mm²) (2 x 11 AWG (4,17mm²))
CL3/FT4 Jacket	PVC White/Silver Stripe or Gray/Red Stripe			
Foot Markers	Sequentially Numbered 1-500 ft. (showing how many feet remaining)			
Length	**EU Retail**	**EU Retail**	**EU Retail**	**EU Retail**
152m Spool	**494.00 (3.25/m)**	**836.00 (5.50/m)**	**646.00 (4.25/m)**	**1,216.00 (8.00/m)**

Termination "Pants" for Speaker Cables

Model	Model Specific	
	Full-Range	Single-BiWire
	Part Number:	Part Number:
Type 2	68-095-01	N/A
Type 4	68-096-01	N/A
Rocket 33	68-100-01	68-100-21
Rocket 44	68-101-01	68-101-21
Rocket 88	68-102-01	68-102-21
EU Retail	**13.50/Set of 4**	**13.50/Set of 4**

Model Specific

Installer ("i") Series SureGrip® 100 BFA/Banana & Multi-Spade Connectors

SureGrip 100 BFA/Banana - Installation Packs
Direct-Silver or Gold over Beryllium-Copper

(2) Allen tools (hex wrenches) per Installation Pack

Fits up to 9 AWG speaker cables

EU Retail
39.00/Set of 8
59.00/Set of 12

SureGrip 100 Multi-Spade - Installation Packs
Direct-Silver or Gold Plating over Purple Copper

Fits 1/4" – 5/16" Binding Post

(2) Allen tools (hex wrenches) per Installation Pack

Fits up to 9 AWG speaker cables

EU Retail
39.00/Set of 8
59.00/Set of 12

CL3/FT4 Custom-Installation Speaker Cables on Spools

Solid-Conductor HyperLitz: CL3/FT4

	Type 2	Type 4	GO-4 (72v DBS)
Metal	Solid Long-Grain Copper (LGC)		Solid PSC+
Gauge	16 AWG (1,31mm²)	15 AWG (1,65mm²)	
Geometry	Star-Quad		
Dielectric	Foamed-Polyethylene (For All Positive Conductors)		
Noise-Dissipation System	No	Crosstalk-Dissipation System	
CL3/FT4 Jacket	PVC: Dark Gray or Off-White	PVC: Black/Blue Stripes or Off-White	PVC: Black/Brown Stripes
Single-BiWire Capable	No		
Foot Markers	Sequentially Numbered 1-164 or 1-328 ft. (showing how many feet remaining)		
EU Retail	**12.50/m**	**20.00/m**	**55.00/m**
Spool Size	100m	100m	50m

CL3/FT4 Rated & Braided Rocket Series Speaker Cables on Spools

	Rocket 11	Rocket 22	Rocket 33
Metal	Semi-Solid True-Concentric LGC	Semi-Solid True-Concentric PSC / LGC	Solid PSC / LGC
Gauge	16 AWG (1,31mm²)		14 AWG (2,08mm²)
Geometry	Double-Spiral		Double Star-Quad
Dielectric	PVC		Foamed-Polyethylene (For All Positive Conductors)
Noise-Dissipation System	No		Carbon-Based Noise- and Crosstalk-Dissipation System
Jacket	CL3 PVC Please Specify: Black or White/Gray Stripes	CL3 PVC Please Specify: Black or White/Blue Stripes	Please Specify – Braid: Black/Red or CL3 PVC: Black/Red Stripes
Single-BiWire Capable	Yes		
Foot Markers	Sequentially Numbered 1-30, 1-164 or 1-328 ft. (Showing How Many Feet Remaining)		
EU Retail	**15.00/m**	**25.00/m**	**35.00/m**
Spool Size	50m or 100m	50m or 100m	50m or 100m

	Rocket 44	Rocket 88 (72v DBS)
Metal	Solid PSC+ / PSC	Solid Perfect-Surface Copper+ (PSC+)
Gauge	13 AWG (2,63mm²)	
Geometry	Double Star-Quad	
Dielectric	Foamed-Polyethylene (For All Positive Conductors)	
Noise-Dissipation System	Carbon-Based Noise- and Crosstalk-Dissipation System	
Jacket	CL3 PVC: Matte Black/Shiny Black Stripes Braid: Black/Silver	CL3 PVC: Black/Green Stripes Braid: Black/Green
Single-BiWire Capable	Yes	
Foot Markers	Sequentially Numbered 1-164 or 1-328 ft. (showing how many feet remaining)	
EU Retail	**70.00/m**	**110.00/m**
Spool Size	50m	50m

Connectors

SureGrip® 100 BFA/Banana & Multi-Spade Connectors

Allen Tool Included

SureGrip 100 BFA/Banana - EU Retail Packs
Direct-Silver or Gold over Beryllium-Copper

(1) Allen tool (hex wrench) per EU Retail Box

Fits up to 9 AWG speaker cables

EU Retail
39.00/Set of 8
59.00/Set of 12

SureGrip 100 Multi-Spade - EU Retail Packs
Direct-Silver or Gold Plating over Purple Copper

Fits 1/4" – 5/16" Binding Post

(1) Allen tool (hex wrench) per EU Retail Box

Fits up to 9 AWG speaker cables

EU Retail
39.00/Set of 8
59.00/Set of 12

For SureGrip 100 BFA/Banana & Multi-Spade Connectors installer packs, see page 62.

SureGrip 300 BFA/Banana & Spade Connectors: Direct-Silver Plated (S) & Direct-Gold Plated (G)

Allen Tool Included

Black Labels Included

SureGrip 300 BFA/Banana
Direct-Silver or Gold over Beryllium-Copper

SureGrip 300 Multi-Spade
Hanging-Silver or Gold Plating over Purple Copper

Fits 1/4" – 5/16" Binding Post

Allen Wrench and Phillips Screwdriver Provided

Fits up to 9 AWG speaker cables

EU Retail
39.00/Set of 4

SureGrip 300 BFA/Banana & Multi-Spade
Tray of 40

20 Red / 20 Black

Bass, Treble, Amp and Speaker Labels (x2) Included

Bass, Treble, Amp and Speaker Labels (x2) Included

Fits up to 9 AWG speaker cables

SureGrip 300 BFA/Banana	SureGrip 300 Multi-Spade
EU Retail	EU Retail
399.00/Tray of 40	399.00/Tray of 40

500 and 1000 Series Banana & Multi-Spade Connectors

Combination Allen and Phillips Tool Included

500 Series Banana
Silver or Gold

500 Series Multi-Spade
Silver or Gold

Fits 1/4" – 5/16" Binding Post

Allen Wrench and Phillips Screwdriver Provided

Hanging-Silver directly over pure **Purple** Copper or
Hanging-Gold directly over pure **Purple** Copper

Fits up to 9 AWG speaker cables

EU Retail
69.00/Set of 4
99.00/Set of 6

1000 Series Banana
Silver

1000 Series Multi-Spade
Silver

Fits 1/4" – 5/16" Binding Post

Allen Wrench and Phillips Screwdriver Provided

Hanging-Silver directly over pure **Red** Copper

Fits up to 9 AWG speaker cables

EU Retail
199.00/Set of 4
299.00/Set of 6

Installer (“i”) Series HDMI Adaptors, Couplers and Wall Plates in Packs of 5 (No EU Retail Packaging)

HDMI/i Series: For Specifications See Packaged Cables Elsewhere in This Price Book

Length	HDMI/i Pearl 	HDMI/i Forest 	HDMI/i Cinnamon 	HDMI/i Chocolate
	EU Retail (Each Cable)	EU Retail (Each Cable)	EU Retail (Each Cable)	EU Retail (Each Cable)
0.6m	27.50	39.00	69.00	99.00
1.0m	29.00	49.00	75.00	109.00
1.5m	35.00	59.00	95.00	129.00
2.0m	39.00	69.00	109.00	149.00
3.0m	55.00	99.00	139.00	199.00
4.0m	89.00	129.00	189.00	259.00
5.0m	109.00	149.00	219.00	319.00

HDMI 90°/W
Wide Side [W] Right Angle Bend



Part Number: 69-051-51

EU Retail	16.50 Each

HDMI 90°/N
Narrow Side [N] Right Angle Bend

Part Number: 69-046-51

EU Retail	16.50 Each

HDMI 90° NU/R
Narrow Up [NU] Bends Right

Part Number: 69-055-11

EU Retail	16.50 Each

HDMI 90° NU/L
Narrow Up [NU] Bends Left

Part Number: 69-056-11

EU Retail	16.50 Each

HDMI Coupler
Female HDMI to Female HDMI

Part Number: 69-050-51

EU Retail	16.50 Each

“i” Series Cables Installer Packs (No EU Retail Packaging)

Time, space, and money … all finite resources for any installer, all of which are conserved with AQ’s iPacks. These 5-packs of cables ship with no retail packaging, take up less space on the truck and reduce waste to dispose of on the job. iPacks save a bit of money too, and each bag includes easy-to-remove stickers that offer an immediate visual inventory of how many cables are left in the bag, and assist in billing for each and every cable installed in a job. iPacks are an installer’s best friend.

Digital Coax/i Forest

Length	EU Retail (Each Cable)
0.75m	27.50
1.5m	32.50
3.0m	42.50
5.0m	65.00

RJ/E/i Pearl

RJ/E/i Forest

RJ/E/i Cinnamon

Length	EU Retail (Each Cable)	EU Retail (Each Cable)	EU Retail (Each Cable)
0.75m	27.50	42.50	82.50
1.5m	29.00	52.50	99.00
3.0m	49.00	75.00	129.00
5.0m	69.00	109.00	175.00

Optical/i Pearl

Optical/i Forest

Optical/i Cinnamon

Length	EU Retail (Each Cable)	EU Retail (Each Cable)	EU Retail (Each Cable)
0.75m	25.00	39.00	69.00
1.5m	30.00	49.00	85.00
3.0m	45.00	75.00	119.00

Alpha-Snake/i Audio Interconnect

Length	EU Retail (Each Cable)
0.5m	22.50
1.0m	25.00
2.0m	30.00
3.0m	35.00

Tower/i Audio Interconnect

Golden Gate/i Audio Interconnect

0,6m: available in RCA ↔ RCA only.
1,0m, 2,0m & 3,0m: available in RCA ↔ RCA, 3,5mm ↔ RCA and 3,5mm ↔ 3,5mm.

Length	EU Retail (Each Cable)	EU Retail (Each Cable)
0.6m	25.00	69.00
1.0m	27.50	75.00
2.0m	32.50	89.00
3.0m	39.00	99.00

“i” Series Cables Installer Packs (No EU Retail Packaging)

NRG-X2/i
2-Pole AC Cable

Length	EU Retail (Each Cable)
0.2m	47.00
0.4m	51.00
0.6m	54.00
0.9m	59.00

NRG-X3/i
3-Pole AC Cable



EU Retail (Each Cable)
62.00
68.00
74.00
79.00

C7 90º Adaptor (E)
10-pack

EU Retail (Each)
7.50

C7 90º Adaptor (U)
10-pack

EU Retail (Each)
7.50

For C7 90º adaptors in retail packaging, see page 51.

FLX-A/i Splitter
M22F F22M



EU Retail (Each Cable)
9.50